



CONNECT TO CARE by CMSP Provider Operations Manual



Section 1.0 – Introduction

- 1.1 Welcome
- 1.2 Background
- 1.3 Mission
- 1.4 Important Contact Information
- 1.5 Service Area
- 1.6 Claim Submission
- **1.7 Information Pertaining to FQHC**

Section 2.0 – Administrative Procedures

- 2.1 Provider Operations Manual
- 2.2 Secure Email
- 2.3 Privacy and Security
- 2.4 Fraud and Abuse
- 2.5 Misrouted Proprietary and Protected Health Information (PHI)
- 2.6 Member Eligibility
- 2.7 Eligibility Verification and ID Cards Overview
- 2.8 Connect to Care Member ID card

Section 3.0 – Covered and Non-Covered Benefits

- 3.1 Connect to Care Covered Benefits
- 3.2 Pharmacy
- 3.3 Services Not Covered by Connect to Care
- 3.4 Emergency Services
- 3.5 Pregnancy
- 3.6 Breast or Cervical Cancer

Section 4.0 – Access Standards

Section 5.0 - Roles and Responsibilities of All Providers

- 5.1 Roles and Responsibilities of All Providers
- 5.2 Oversight of Non-physician Providers
- 5.3 Members' Rights and Declaration
- 5.4 Confidentiality
- 5.5 Medical Records
- 5.6 Providing Access to Medical Records and Information
- 5.7 Language and Interpreter Services

Section 6.0 - Claims and Billing

- 6.1 Fee Schedule
- 6.2 Timely Filing of Claims
- 6.3 Electronic Data Interchange
- 6.4 Paper Claims
- 6.5 Clinical Record Submissions Categories
- 6.6 Claims Coding
- 6.7 Coding Guidelines
- 6.8 Checking Claim Status
- 6.9 Request for Additional Information
- 6.10 Claims Appeals Process
- 6.11 Claims Overpayment Recovery Procedure

Section 7.0 – Provider Grievance and Appeals

- 7.1 Provider Grievance Process
- 7.2 Provider Appeals of Non-Medical Necessity Claims Determinations

Section 8.0 - Member Grievance and Appeals

- 8.1 Member Grievances or Complaints
- 8.2 Member Appeals
- 8.3 Standard Appeals
- 8.4 Response to Standard Appeal
- 8.5 Expedited Appeals
- 8.6 Response to Expedited Appeals

Section 9.0 – CMSP Governing Board Appeals

Appendix 1

CMS-1500 Claim Form Specifications

Appendix 2

UB-04 Claim Form Specifications

Appendix 3

Connect to Care Approved Procedure Code List

For additional information regarding the Connect to Care Program, please visit: https://connecttocare.amm.cc/

Section 1.0 - Introduction

1.1 Welcome to the Connect to Care Program by CMSP

As the third party administrator for the CMSP Governing Board, Advanced Medical Management, Inc. (AMM) would like to thank all providers for partnering with us in the communities we serve.

AMM knows providers are essential in delivering high-quality, cost-effective medical services to low income Californians. We are dedicated to earning your ongoing support and we look forward to working with you to provide the best service possible to Connect to Care members.

This manual is a guide for providers participating in the Connect to Care Program by CMSP . For information regarding CMSP benefits, please refer to the *CMSP Provider Operations Manual* at <u>https://cmsp.amm.cc/providers/</u>.

1.2 Background

In April 2019, the Governing Board approved development and implementation of the Connect to Care program for eligible resident adults that are not otherwise enrolled in CMSP (full scope or emergency services only) This program is intended to extend primary care services to residents of CMSP counties who are uninsured and otherwise eligible for CMSP but have not applied for CMSP.

1.3 Mission

The mission of the Connect to Care program is to extend access to primary care services to eligible uninsured residents of CMSP counties in order to improve their health outcomes, reduce their utilization of emergency services and inpatient hospitalization, and enable select community health centers to enroll new members.

1.4 Important Contact Information

Advanced Medical Management, Inc. (AMM) types of inquiries: Customer Service, Medical, Provider Network, Provider Contracting, Claims, Grievances and Appeals.

(888) 614-0846

MedImpact Healthcare Systems, Inc. types of Inquiries: Pharmacy, Finding a Pharmacy, and Pharmacy Appeals.

(800) 788-2949

Additional contact information can be found on our website at: <u>http://connecttocare.amm.cc/Home/Contact</u>

The service areas for Connect to Care are CMSP's 35 counties. The income range to qualify for the new benefit is over 138% FPL and up to 300% FPL. Applications can be submitted through participating community health centers using the Connect to Care online eligibility enrollment system.

1.6 Claim Submission

New and corrected paper claims are to be submitted to the following contracted clearinghouses or mailed to this address:

Connect to Care - Advanced Medical Management, Inc. Attn: Claims Department 5000 Airport Plaza Drive, Suite 150 Long Beach, CA 90815-1260

Electronic claim submissions are preferred. Below are the payer IDs for approved clearinghouses:

Clearinghouse	Payer ID	Support Phone#	Website
Office Ally	AMM15	(360) 975-7000 Opt. 1	http://www.officeally.com
Emdeon/Capario	CMSP1	(888) 363-3361	https://cda.changehealthcare.com/Portal/
Claimremedi	CMSP	(800) 763-8484	https://claimremedi.providersportal.com
Cognizant/Trizetto	Institutional Claims: UMM15 Professional Claims: AMM15	(800) 556-2231	http://www.trizetto.com

You can also find this list of approved clearinghouses at: <u>http://connecttocare.amm.cc/Home/Providers</u>

Please refer to Section 6.0 for additional claims filing instructions.

1.7 Information Pertaining to FQHC

Federally Qualified Health Centers (FQHCs), Rural Health Clinics (RHCs) and Tribal Health Clinics (THC) are referred cumulatively as FQHCs in this Manual.

Providers can find details pertaining to FQHCs throughout the Claims and Billing section, but here are a few items providers should keep in mind:

- CMSP Governing Board has a contract amendment with all FQHCs participating in the Connect to CareProgram.
- > All FQHC claims must be completed on a UB-04 claim form.
- CMSP providers billing professional claims should use a CMS 1500 form

- Claims must identify all services rendered with the appropriate CPT, HCPCS and Revenue Codes. Claims submitted with incorrect or obsolete codes will be rejected.
- Billed codes must be on the Connect to Care Approved Procedure Code List in order to be eligible for payment.

Please Note: Patients must be seen by an MD, DO, NP, or PA in order for claims to be considered for reimbursement.

Section 2.0 – Administrative Procedures

2.1 Provider Operations Manual

The Provider Operations Manual explains the policies and administrative procedures of the Connect to Care program. You may use it as a guide to answer questions about member benefits, claim submissions, and many other issues. This Manual also outlines day-to-day operational details for you and your staff. It will describe and clarify the requirements identified in the Provider Agreement and amendment you hold with the CMSP Governing Board. Any updates, revisions and amendments to this Manual will be provided on a periodic basis on AMM's Connect to Care website. It is important that you and/or your office staff read the communications from AMM regarding Connect to Care and retain them with this Provider Operations Manual so you can integrate the changes into your practice.

2.2 Secure Email

AMM uses a secure email encryption system (website) to ensure all proprietary information and protected health information (PHI) is kept private and secure. When an external recipient receives the first encrypted email from AMM the following steps must be taken with the email received in order to access the encrypted email:

- Upon receiving the e-mail notification, follow the directions to open the message using the "Secure Messaging Service" link.
- Create and register a password for your email address
- Click to open the secure email message OR
- You may need to verify your email address from an activation link in a new email from the secure email system (not all recipients are required to do this).
- Log in to open the secure email message After registering, the external recipient is able to access their encrypted email by entering their registered password.

The secure system provides additional features that include, password resetting, and replying to or creating messages. If you need technical assistance or have questions about Secure email, contact our Customer Service department at (888) 614-0846.

2.3 Privacy and Security

All AMM websites or affiliated vendors are compliant with the Health Insurance Portability and Accountability Act of 1996 (HIPAA) and its federal regulatory guidelines. For more information, visit <u>https://cmsp.amm.cc</u>.

2.4 Fraud and Abuse

AMM is committed to protecting the integrity of the clients and members we serve and the efficiency of our operations by preventing, detecting and investigating fraud and abuse. For more information, visit <u>https://cmsp.amm.cc</u>.

2.5 Misrouted Proprietary and Protected Health Information (PHI)

AMM's proprietary or Protected Health Information (PHI) can be inadvertently routed to Providers and facilities by mail, fax, e-mail, or electronic remittance advice. Providers and facilities are required to immediately destroy any proprietary and misrouted PHI and notify AMM of the disclosure by contacting Customer Service at **(888)614-0846**.

2.6 Member Eligibility

Connect to Care participants are in the income range of over 138% FPL and up to 300% FPL, live in one of the 35 CMSP counties, and are between the ages of 21-64 years old. To complete the Connect to Care member enrollment process, participating community health centers are be responsible for registering the patient's information through the secure registration/enrollment online portal maintained by the CMSP Governing Board as well as with consent from the patient to participate in the program. For eligibility support or questions please visit https://myconnecttocare.org or contact the Connect to Care Enrollment Help Desk at(800) 548-5880.

2.7 Eligibility Verification and ID Cards Overview

Following enrollment in the Connect to Care program, the member will receive a Connect to Care Identification (ID) Card from AMM. The Connect to Care ID Card is for the member's Connect to Care benefit coverage. The member's Connect to Care ID Card is enclosed with the Member Guide. The member should receive their Connect to Care ID Card within 10 days of enrollment. At each visit, before rendering services, the provider must ask the member for their ID card to verify program eligibility.

The provider can verify eligibility by:

- Checking the Connect to Care enrollment portal online.
- Verifying the eligibility effective dates on the member's Connect to Care ID Card.
- Contacting AMM at (888) 614-0846.

2.8 Connect to Care Benefit Member ID Card





This card, provided by AMM, contains information on the front and back including the member name, ID number, and customer service numbers for:

- AMM Customer Service Department
- MedImpact Healthcare Systems, Inc. (Pharmacy)

To prevent fraud and abuse, providers should confirm that the person presenting the cards is the member to whom the member ID card was issued. Claims submitted for services rendered to non-eligible members are not eligible for payment. Members are instructed, through their Connect to Care Program Guide, to notify providers of their coverage at each visit or as soon as possible.

Section 3.0 - Covered and Non-Covered Benefits

The Connect to Care Program offers primary care and preventative outpatient benefits and services to its members including medical and pharmacy benefits. This section provides a general overview of benefits, as well as benefit limitations and exclusions.

Before providing services to Connect to Care members, providers must verify eligibility, and determine if any other restrictions or limitations apply. Covered benefits and services are subject to utilization limits.

3.1 Connect to Care Covered Benefits

Connect to Care will not pay for services rendered by providers not contracted by CMSP or for pharmacies not participating in the Connect to Care Program. Connect to Care benefits generally include the following services rendered by CMSP contracted providers:

- Outpatient visit with primary care provider or specialist
- In-Office minor medical procedures
- Preventative screenings, routine lab tests, and adult immunizations
- Specified radiology services
- Screening for depression, alcohol misuse, obesity counseling
- Screening for HIV, HPV, Hepatitis B/C, and STI screening
- Tobacco use counseling and intervention (performed byphysician)
- Prescription medications (specialty medications excluded) with \$5 copay and \$1500 limit per benefit period and \$500 limit per claim.

Primary care or specialist office visits	Screenings for HIV, HPV, Hepatitis B & C, STI Screenings
Routine screening laboratory testing	Screening for depression, alcohol misuse, obesity counseling (performed by a physician)
Prescription medications with a \$5 copay per prescription (up to \$500 per claim and \$1500 maximum benefit limit)	Preventative health screenings
Various in-office minor medical procedures	EKG, Osteoporosis, DEXA Scan
Specified X-rays of head, neck, chest, trunk, upper and lower extremities	Colorectal cancer screening

For a complete list of covered benefits and allowable procedure codes, please visit : <u>http://connecttocare.amm.cc /Home/Members</u>

3.2 Pharmacy

Pharmacy benefits are administered for Connect to Care members by MedImpact Healthcare Systems, Inc. (MedImpact) a pharmacy benefits manager (PBM). Members must have prescriptions filled by participating local retail pharmacies (visit www.myconnecttocare.org for a list of participating pharmacies). The pharmacy benefit emphasizes the use of generic medications, where available and appropriate, utilization controls for select medications based upon clinical efficacy, medical necessity and cost.

Covered medications are available at a \$5 copayment per prescription. Prescription coverage is limited to a maximum of \$500 per claim and a \$1500 maximum benefit per Connect to Care enrollment period.

For additional information on the Connect to Care Drug Formularies and Medication Request forms, visit www.myconnecttocare.org. Providers or members with issues involving the Connect to Care Prescription Drug Program or with specific questions about pharmacy benefit coverage should contact MedImpact's Customer Service Line at (800) 788-2949. This service line is available 24 hours a day, 7 days a week.

3.3 Services Not Covered by Connect to Care

Connect to Care will not pay for services rendered by providers not contracted by CMSP or for pharmacies not participating in the Connect to Care Program. Services rendered at FQHC's must be rendered by an MD, DO, NP, or PA in order to be payable. Specific services that are NOT covered by Connect to Care include:

- Acupuncture, including podiatry-related acupuncture services
- Breast and cervical cancer treatment services when covered by other another benefit (Breast and Cervical Cancer Treatment Program/Medi-

Cal)

- Chiropractic care
- Cosmetic procedures
- Services by a psychologist, LCSW, MFT, or substance use disorder counselor
- Methadone maintenance services
- Inpatient and emergency services
- Optometry services and eye appliances
- Dental services
- Pregnancy-related and infertility services
- Family planning services (including contraceptive-related visits and abortion services) when covered by another benefit(F-PACT)
- > Public transportation, such as airplane, bus, car, or taxi rides

3.4 Emergency Services

Connect to Care benefits do not include emergency services. For more information on qualifying for emergency services coverage please have the member contact their local social services office.

3.5 Pregnancy and Postpartum Services

Pregnancy and postpartum services are not covered by Connect to Care. Please refer any pregnant Connect to Care member to the county social services department to initiate an application for Medi-Cal.

Please refer to the DHCS Medi-Cal Manual for instructions regarding billing for pregnancy and postpartum services.

3.6 Breast or Cervical Cancer

Please refer any Connect to Care members diagnosed with breast or cervical cancer to the Breast and Cervical Cancer Treatment Program (BCCTP).

Section 4.0 – Access Standards

While there is no mandate for professional standards for health care providers, the Connect to Care program, California Department of Health Care Services (DHCS) and other regulatory agencies require that members receive medically necessary services in a timely manner.

For more information regarding standard practices, please refer to *the CMSP Provider Operations Manual* at <u>https://cmsp.amm.cc/providers/</u>.

Section 5.0 – Roles and Responsibilities for All Providers

5.1 Roles and Responsibilities of All Providers

- Providers must verify the member's Connect to Care eligibility before providing care
- Verify the member's eligibility at each appointment and immediately before giving services, supplies or equipment (for example, a member verified to be eligible on the last day of the month may not be eligible the first day of the following month)
- Comply with all state laws relating to communicable disease and domestic violence/child abuse reporting requirements
- Not intentionally segregate Connect to Care members in any way from other persons receiving similar services, supplies or equipment, or discriminate against any members on the basis of race, color, creed, ancestry, marital status, sexual orientation, national origin, age, sex or physical or mental disability in accordance with *Title VI of the Civil Rights Act of 1964, 42 USC Section 2000(d)*, and rules and regulations promulgated thereunder
- > Offer interpreter services when appropriate
- Give considerate and respectful care
- Permit members to participate actively in all decisions regarding their medical care, including, except as limited by law, their decision to refuse treatment
- Obtain signed consent prior to rendering care
- Provide, upon request, timely responses and medical information to AMM
- Provide timely responses to reasonable requests by the CMSP Governing Board, Advanced Medical Management, Inc. or the member for information regarding services provided to the member
- Give information to the member or member's legal representative about the illness, course of treatment and prospects for recovery in terms the member can understand
- > Maintain legible and accurate medical records in a secured location
- Keep all member information confidential, as required by state and federal law
- All providers who are involved in the treatment of a member share responsibility in communicating clinic findings, treatment plans, prognosis, and the psychosocial condition of such member with the member's providers to ensure coordination of the member's care.

5.2 Oversight of Non-Physician Providers

All CMSP contracted providers using non-physician providers must provide supervision and oversight of such non-physician providers consistent with state and federal laws. The provider and the non-physician provider must have written guidelines for adequate supervision, and all supervising physicians must follow state licensing and certification requirements.

5.3 Members' Rights and Declarations

All providers shall actively support the *Members' Rights and Declarations* as written and provided on AMM's website at: <u>http://connecttocare.amm.cc/Home/Members</u>

5.4 Confidentiality

All providers shall prepare and maintain all appropriate records in a system that permits prompt retrieval of information on members receiving covered services from acute care hospitals and ancillary providers.

Providers shall only make member's information, including but not limited to, medical records available in accordance with applicable state and federal law.

AMM may use aggregate patient information or summaries for research, experimental, educational or similar programs if no identification of a member is or can be made in the released information.

5.5 Medical Records

All providers must keep, maintain and have readily retrievable medical records as are necessary to disclose fully the type and extent of services provided to a member in compliance with state and federal laws. Documentation must be signed, dated, legible and completed at or near the time at which services are rendered.

Providers must ensure that an individual is delegated the responsibility of securing and maintaining medical records at each site.

5.6 Providing Access to Medical Records and Information

Providers must make available to the CMSP Governing Board and Advanced Medical Management, Inc. during regular business hours, all pertinent financial books and all records concerning the provision of health care services to members. AMM may request the provider to provide medical records or information for quality management or other purposes during audits, grievances and appeals, and quality studies. Providers shall have procedures in place to provide timely access to medical records in their absence.

Mandated time limitations for the completion of reviews and studies require the cooperation of the provider to provide medical records expediently. For public health communicable disease reporting, providers are required to provide all medical records or information as requested and within the period established by state and federal laws.

5.7 Language and Interpreter Services

Multilingual representatives are available by contacting Customer Service at (888) 614-0846 during normal office hours Monday – Friday from 8 a.m. to 5 p.m

For language interpretation in Chinese, Tagalog, Arabic, French, and other languages, contact the Language Line at: (888) 808-9008, PIN: 20810990.

TTY/TDD services are available for those who are hearing impaired by contacting (562) 429-8162 or use the California Relay Services for TTY/TDD.

Section 6.0 - Claims and Billing

This section identifies Advanced Medical Management, Inc.'s claims process for claims submittals for covered benefits and services provided for Connect to Care. All provider claims, electronic or paper, should be "clean", meaning providers should submit claims with all fields completed using valid HCPCS, CPT, or Local Codes.

6.1 Fee Schedule

Provider rates of reimbursement or compensation for serving Connect to Care members are specified in the clinic or provider's CMSP Provider Agreement and Connect to Care Addendum. For assistance with understanding the fee schedule, please contact Customer Services at (888)-614-0846. For CMSP's Rate Policy, please refer to: www.cmspcounties.org/billing-claims-payment.

6.2 Timely Filing of Claims

Please refer to the grid below on the timely filing of claims. Claims submitted by non-contracted providers are not covered under Connect to Care and will be denied.

Action and Description	Required Timeline
First Time Claims Submissions	 All providers should refer to their Agreement for timely filing details. In lieu of any other period provided in the Agreement: Claims should be filed within 150 calendar days of the date of service.

Checking Claim Status The claims status feature is accessible anytime by logging onto <u>https://claims.amm.cc/</u> to check the status of a claim. Registration is required. You may also call Customer Service at (888)-614-0846 if you are not able to find your claim.	After 5 business days from Advanced Medical Management, Inc.'s receipt of claim providers may verify receipt of claim. Please allow up to 15 calendar days before checking claim status.
Claim Appeal Process Request a claim reconsideration/appeal in writing with a Claim Appeal/Dispute Form located at http://connecttocare.amm.cc/Home/Providers	File within 60 business days from the date of the explanation of benefits. AMM will acknowledge all provider claim appeals in writing within 15 calendar days of receipt and sends a written resolution notice 45 working days from receipt of appeal.
Third Party Liability (TPL) or Coordination sof Benefits (COB) If the claim has COB, TPL or requires submission to a third party before submitting to AMM, the filing limit starts from the date on the notice from the third party.	 All providers should refer to their Agreement for timely filing details. In lieu of any other period provided in the Agreement: Claims should be filed within 150 calendar days from the date of the denial from the third party.
Claims Submitted with the Wrong Information If the provider originally billed with the wrong information, the provider must submit the original claim to AMM with proof of timely filing.	 All providers should refer to their Agreement for timely filing details. In lieu of any other period provided in the Agreement: Claims should be filed within 150 calendar days from the date of the denial from the third party.

Providers must submit claims in a timely manner. Claims received by AMM past the contracted filing limit will be denied.

Call Customer Service at (888) 614-0846 with questions regarding the completion of the claim form. Customer Service hours are Monday through Friday, 8 a.m. to 5 p.m. except major holidays.

Use the member's Connect to Care ID number when billing, whether submitting electronically or by paper.

Many Connect to Care members may also qualify for other programs, such as:

- California AIDS Drug Assistance Program (ADAP) (applicable to MedImpact only)
- California Family Planning, Access, Care and Treatment Program (Family PACT)
- Breast and Cervical Cancer Treatment Program (BCCTP)
- Every Woman Counts (EWC)
- Genetically Handicapped Persons Program (GHPP)

Please see the *CMSP Provider Operations Manual* for a list of other programs available at: <u>https://cmsp.amm.cc/providers/</u>.

6.3 Electronic Data Interchange

AMM prefers electronic billing or electronic data interchange (EDI). EDI is a computer to computer transfer of information. EDI is a fast, inexpensive and safe method for automating the claims business processes. The benefits of using EDI are:

- Reduced costs (saves on staffing, overhead, claim forms, mailing materials, and postage)
- Tracking and monitoring of claims (no claims "lost in the mail")
- Faster turnaround times
- Consistent processing (no data conversion errors)
- Data security and privacy (data exchange occurs in secure and private environments)

Providers can submit EDI claims electronically through a HIPAA-approved billing system, software vendor or clearinghouse. Using a clearinghouse can streamline the provider's billing processes by using a single system. Clearinghouses are connected with numerous insurance payers including AMM.

Electronic transactions must contain HIPAA-required data elements in all fields in order to be successfully processed. A clearinghouse and/or AMM will return claims submitted with incomplete or invalid information for correction. Billing providers are responsible for working with their EDI vendor or clearinghouse to ensure that claims with error are corrected and resubmitted. Many clearinghouses have web portals that allow for manual correction and resubmission.

All provider claims must be submitted and accepted by their clearinghouse within the contracted filing limit to be considered for payment.

Electronic data transfers and claims are HIPAA compliant and meet federal requirements for electronic data interchange (EDI) transactions & code sets.

Providers can contact EDI services by telephone at (888)-614-0846 or by email at <u>support@amm.cc</u>.

AMM will accept 5010 compliant 837 transactions directly from providers. Implementation guides are available at <u>http://store.x12.org/store</u>. Please note, enrollment is required. Providers can enroll by contacting EDI services at (888)-614-0846 or by email at support@amm.cc

AMM accepts the following HIPAA compliant claim format:

- CMS 1500 ASCX12 5010 837P
- ➢ UB-04 ASCX12 5010 837I

For a complete list of AMM clearinghouses please visit <u>http://connecttocare.amm.cc/Home/Providers</u>.

Providers should contact EDI services by telephone at (888)-614-0846 or by email at support@amm.cc if their preferred clearinghouse is not listed.

Clearinghouse	Payer ID	Support Phone#	Website
Office Ally	AMM15	(360) 975-7000 Opt. 1	http://www.officeally.com
Emdeon/Capario	CMSP1	(888) 363-3361	https://cda.changehealthcare.com/Portal/
Claimremedi	CMSP	(800) 763-8484	https://claimremedi.providersportal.com
Cognizant/Trizetto	Institutional Claims: UMM15 Professional Claims: AMM15	(800) 556-2231	http://www.trizetto.com

6.4 Paper Claims

All paper claims for FQHC's must be submitted on the UB-04 claim form. Professional claims should be billing using the CMS 1500 form.

Providers should mail all paper claims to:

CMSP – Advanced Medical Management, Inc. Attn: Claims Department 5000 Airport Plaza Drive, Ste. 150 Long Beach, CA 90815-1260

6.5 Clinical Record Submissions Categories

The following is a list of claims categories where AMM may routinely require submission of clinical information before or after payment of a claim. For information about time frames for submission of clinical information, see *Request for Additional Information* in this section.

- Claims involving certain modifiers, including but not limited to Modifier 22 and/or Modifier 95 for telemedicine services
- Claims involving unlisted codes

- Claims for which AMM cannot determine from the face of the claim whether it involves a covered service, thus the benefit determination cannot be made without reviewing medical records (including but not limited to specific benefit exclusions)
- Claims that AMM has reason to believe involve inappropriate (including fraudulent) billing
- Claims that are the subject of an audit (internal or external) including high dollar claims
- Claims that have been appealed (or that are otherwise the subject of a dispute or reconsideration, including claims being mediated, arbitrated or litigated)
- Other situations in which clinical information might routinely be requested:
 - Requests relating to underwriting (including but not limited to member or physician misrepresentation and fraud reviews)
 - Accreditation activities
 - Quality improvement/assurance activities
 - Credentialing
 - Recovery/subrogation

Examples provided in each category are for illustrative purposes only and are not meant to represent an exhaustive list within the category.

6.6 Claims Coding

Regardless of the method you use, all FQHCs must bill using a UB-04 claim form, with appropriate codes, and in a manner acceptable to AMM. Professional claims should bill using a CMS 1500 form along with the appropriate codes.

All Connect to Care claims submitted for payment need to include the current HIPAA-compliant code sets required by the state and federal government.

6.7 Coding Guidelines

Providers must use the following national guidelines when coding claims:

- International Classification of Diseases, 10th Revision (ICD diagnostic and Procedure Codes). Applicable ICD procedure codes must be in Boxes 74(a-e) of the UB-04 form when the claim indicates a procedure was performed. Medi-Cal Local Only Codes (Local Only Codes). Use Local Only Codes until the state remediates the codes. Do not use Local Only Codes for dates of service after the remediation date. Local Only Codes billed after the remediation date are denied for use of an invalid procedure code.
- Healthcare Common Procedure Coding System (HCPCS): Refer to the

current edition of HCPCS published by the Centers for Medicare and Medicaid Services (CMS).

- Current Procedural Terminology (CPT) Codes: Refer to the current edition of the Physicians' CPT manual, published by the American Medical Association.
- Modifier Codes: Use modifier codes when appropriate with the corresponding HCPCS or CPT Codes.
- ► Local Only, HCPCS or CPT Codes.

6.8 Checking Claim Status

All clean claims will be processed within 30 days from the day of receipt. If the claim contains all required information, the claim will enter into AMM's claims system for processing. Providers will receive an explanation of benefits (EOB) when the claim is finalized.

Providers may confirm receipt of their claims after 5 business days from the date the claim was submitted through the AMM Claim manager website at https://claims.amm.cc/. Providers must first register to use the site by clicking on the registration link or by visiting https://claims.amm.cc/Register.aspx.

AMM or the provider's contracted clearinghouse will return claims submitted with incomplete or invalid information for correction. Billing providers are responsible for working with AMM, their EDI vendor or clearinghouse to ensure that claims with errors are corrected and resubmitted. Many clearinghouses have web portals that allow for manual correction and resubmission.

6.9 Request for Additional Information

Providers have 60 business days from the date on the Explanation of Benefits (EOB) to submit the corrected claim information to AMM. If the provider resubmits the corrected claim after 60 business days, the claim will be denied for untimely filing. Include a copy of the reject letter with your corrected claim submission. Refer to Section 6.2 regarding *Timely Filing of Claims*.

If a provider files a claim with the wrong insurance carrier and provides documentation verifying the initial timely claims filing was within the contracted filing limit, AMM will process the provider's claim.

6.10 Claims Appeals Process

AMM offers a claim appeal process for issues pertaining to processing of provider claims. Providers may submit one appeal (or dispute) per claim.

Providers must submit their request for consideration in writing or by fax within 60 business days from the date of the provider's receipt of the Explanation of Benefits (EOB). Providers may download a *Claim Appeal/Dispute Form* on AMM's website at: <u>http://connecttocare.amm.cc/Home/Providers</u>

The provider's submission must include a complete *Claim Appeal/Dispute form*, a copy of the original and/or corrected claim form, and supporting documentation not previously considered to:

CMSP – Advanced Medical Management, Inc. Attn: Claim Appeals 5000 Airport Plaza Drive, Ste. 150 Long Beach, CA 90815-1260 Fax (562) 766-2007

Please note that providers receive an EOB with every claim, whether paid or denied.

Claim appeals are reviewed on a case-by-case basis. AMM will acknowledge all provider claim appeals in writing within 15 calendar days of receipt and will send a written resolution notice 45 business days from receipt of the reconsideration request. If providers are dissatisfied with the resolution after exhausting the appeal process, refer to the dispute resolution process in the CMSP Governing Board participating Provider Agreement.

6.11 Claims Overpayment Recovery Procedure

AMM seeks recovery of all excess claim payments from the payee to whom the benefit check is made payable. When an overpayment is discovered, AMM initiates the overpayment recovery process by sending written notification of the overpayment to the provider. Please return all overpayments to AMM upon the provider's receipt of the notice of overpayment.

If providers want to contest the overpayment, contact AMM's Recovery Department at (888) 614-0846. For a claims reevaluation, please send correspondence to the address on the overpayment notification. If AMM does not hear from the provider or receive payment within 60 business days, the overpayment amount is deducted from future claims payments to the provider or referred to a collection service.

Section 7.0 – Provider Grievance and Appeals

Advanced Medical Management, Inc. (AMM) offers a grievance process and an appeals process for adverse determinations. Both of these processes are outlined in the following section.

7.1 Provider Grievance Process

AMM allows providers to file a grievance or complaint that is related to any aspect of AMM services **not** related to an action, medical procedure, or authorization for service. All grievances must be submitted to AMM within 60 calendar days of the date giving rise to grievance. AMM maintains confidentiality throughout the process.

Grievances submitted to AMM are tracked and trended and resolved within established periods.

Providers may obtain a *Complaint/Grievance form* at <u>http://connecttocare.amm.cc/Home/Providers</u> and may fax the form to (562) 766-2006 or submit the form via mail to the following address:

CMSP – Advanced Medical Management, Inc. Attn: Customer Service- Grievances 5000 Airport Plaza Drive, Ste. 150 Long Beach, CA 90815-1260

AMM will send a written acknowledgement of the provider's grievance or complaint.

AMM investigates the provider's grievance or complaint to develop a resolution. The investigation includes reviews by appropriate staff.

AMM may request medical records or a provider's explanation of the issues raised in the grievance or complaint by telephone, email, fax or mail. AMM expects providers to comply with request for additional information with 10 calendar days of the request.

AMM notifies providers in writing of the grievance or complaint resolution within 60 calendar days of the receipt of the grievance. AMM does not disclose findings or decisions of quality of care issues.

Providers dissatisfied with AMM's grievance or complaint resolution may contact the CMSP Governing Board at the address listed below:

CMSP Governing Board 1545 River Park Drive, Suite 435 Sacramento, CA 95815 Fax: (916) 848-3349

In addition, contracted providers may request arbitration pursuant to the conditions set forth in their Provider Agreement with CMSP's Governing Board.

7.2 *Provider Appeals of Non-Medical Necessity Claims Determinations* A provider may appeal a decision regarding the payment of a claim that is not related to a medical necessity determination. For these appeals, providers should follow the Claims Appeal procedures set forth in the *Claims and Billing* Section.

If contracted providers exhaust the AMM appeal resolution process and are dissatisfied with the resolution, contracted providers have the right to arbitration as specified in their Participating CMSP Provider Agreement and Connect to Care Amendment.

Providers dissatisfied with AMM's appeal decision may appeal to the CMSP Governing Board. Providers must submit the request to the CMSP Governing Board within 30 days from the date of the notice of action letter to the address listed below:

CMSP Governing Board 1545 River Park Drive, Suite 435 Sacramento, CA 95815 Fax: (916) 848-3349

In addition, contracted providers may request arbitration pursuant to the conditions set forth in their CMSP Provider Agreement and Connect to Care Amendment.

Advanced Medical Management, Inc. does not discriminate against a provider for requesting an appeal or for filing an appeal with the CMSP Governing Board.

Section 8.0 – Member Grievance and Appeals

8.1 Member Grievances or Complaints

A member, or his or her authorized representative, has the right to file an oral or written grievance regarding any aspect of services not related to an Action (for complaints related to Actions, see *Member Appeals*). All grievances must be submitted to AMM within 60 calendar days of the date giving rise to grievance. AMM maintains confidentiality throughout the process.

Grievances submitted to AMM are tracked and trended, resolved within established periods and referred to Peer Review when needed. It is the responsibility of Peer Review to conduct activities, which are designed to:

- 1. Identify areas of physician practice, which could be improved.
- 2. Discover specific instances of inappropriate or sub-standard medical practice on the part of a provider.
- 3. Correct the problems identified in the course of 1 and 2, above.
- 4. Oversight of credentialing process.

Members or their representatives may submit complaints and grievances orally to AMM's Customer Service at (888) 614-0846 in writing to the following address:

CMSP – Advanced Medical Management, Inc. Attn: Customer Service- Grievances 5000 Airport Plaza Drive, Ste. 150 Long Beach, CA 90815-1260

Member Grievance or Complaint forms are available on AMM's website at: <u>http://connecttocare.amm.cc/Home/Members</u>

The completed form may be faxed to *Customer Service - Grievances* at (562) 766-2006. AMM acknowledges member grievances or complaints in writing to the member.

AMM investigates the member's grievance to develop a resolution. The investigation includes reviews by appropriate staff.

AMM may request medical records or a provider's explanation of the issues raised in the grievance by telephone, email, fax or mail. AMM expects providers to comply with requests for additional information within 10 calendar days of the request. AMM notifies members in writing of the grievance resolution within 60 calendar days of the receipt of the grievance. AMM does not disclose findings or decisions of quality of care issues.

AMM may extend the resolution period up to 14 calendar days if the member or his or her representative requests an extension or AMM shows that there is a need for additional information and how the delay is in the member's interest.

If AMM extends the resolution timeframe for any reason other than by request of the member, AMM will provide written notice of the reason for the delay to the member.

AMM will not discriminate or take any punitive action against a member or his or her representative for submitting a grievance. Grievances are not appealable to the CMSP Governing Board.

8.2 Member Appeals

A member or his or her authorized representative may submit an oral or written appeal of a denied service or a denial of payment for services in whole or in part to AMM. Members or their representatives must submit appeals within 60 calendar days from the date on the notice of action. With the exception of expedited appeals, members must confirm all oral appeals in writing, signed by the member or his or her authorized representative. AMM maintains confidentiality throughout the process.

Members or their representatives may submit appeals orally to AMM's Customer Service department at (888) 614-0846 or by completing the Member Appeal form at <u>http://connecttocare.amm.cc/Home/Members</u> and faxing the form to (562) 766-2005 or in writing to the following address:

CMSP – Advanced Medical Management, Inc. Attn: Care Management Appeals 5000 Airport Plaza Drive, Ste. 150 Long Beach, CA 90815-1260

Once an oral or written appeal request is received, AMM's staff investigates the case. The member, the member's authorized representative, the provider or the provider on behalf of a member is given the opportunity to submit written comments, documents, records or other information relevant to the appeal.

The member and his or her representative are given a reasonable opportunity to present evidence and allegations of fact or law and cross-examine

witnesses in person, in writing, or by telephone if so requested. AMM will inform the member of the time available for providing the information, and that limited time is available for expedited appeals.

The member and his or her authorized representative are given an opportunity, before and during the appeal process, to examine the member's case file, including medical records and any other documents considered during the appeal process.

8.3 Standard Appeals

AMM sends an acknowledgement letter to the member within five calendar days of receipt of a standard appeal request.

AMM may request medical records or a provider explanation of the issues raised in the appeal by telephone or in writing by facsimile, mail or email. AMM expects providers to comply with the request for additional information within 10 calendar days.

8.4 Response to Standard Appeal

AMM notifies members in writing of the appeal resolution, including their appeal rights (if any), within 45 business days of receipt of the appeal request. AMM does not disclose findings or decisions regarding peer review or quality-of-care issues.

AMM may extend the resolution period up to 15 calendar days if the member or his or her representative requests an extension or we show that there is a need for additional information and how the delay is in the member's interest. If AMM extends the resolution period for any reason other than by request of the member, AMM will provide written notice of the reason for the delay to the member.

8.5 Expedited Appeals

If the amount of time necessary to participate in a standard appeal process could jeopardize the member's life, health or ability to attain, maintain or regain maximum function, the member may request an expedited appeal. A member may request an expedited appeal in the same manner as a standard appeal, but should include information informing AMM of the need for the expedited appeal process. Within one business day of receipt of the request for an expedited appeal, AMM will make reasonable attempts to acknowledge the request by telephone.

If AMM denies a request for an expedited appeal, AMM will:

- > Transfer the appeal to the period for standard resolution.
- Make a reasonable effort to give the member prompt oral notice of the denial, and follow up within 2 calendar days with written notice that the expedited appeal request will be resolved under the standard appeal timeframe.

AMM may request medical records or a provider explanation of the issues raised in the expedited appeal by telephone or in writing by fax, mail or email. We expect providers to comply with the request within one calendar day of receipt of the request for additional information.

8.6 Response to Expedited Appeals

AMM resolves expedited appeals as expeditiously as possible. AMM makes reasonable efforts to investigate, resolve, and notify the member of the resolution by telephone and we send a written resolution within thirty (30) business days of receipt of the expedited appeal request.

AMM may extend the resolution period up to 15 calendar days if the member or his or her representative requests an extension or AMM show that there is a need for additional information and how the delay is in the member's interest.

Section 9.0 - CMSP Governing Board Appeal

If the member does not agree with what AMM decides after they review the member's appeal regarding a denial, delay or change of a service, the member can file a second-level appeal with the County Medical Services Program (CMSP) Governing Board.

The member must exhaust all internal appeal rights with AMM before seeking review by the CMSP Governing Board. The member must ask for review by the CMSP Governing Board within 30 days of receipt of AMM's Appeal resolution letter. Requests for a CMSP Governing Board appeal should be made directly to the CMSP Governing Board by phone at (916) 649-2631, option 1 or the CMSP website at cmspcounties.org.

Completed forms and other written requests should be sent to:

Attn: Connect to Care CMSP Governing Board 1545 River Park Drive, Suite 435 Sacramento, CA 95815 Fax: (916) 848-3349

CMSP will send a letter to the member:

- Within 5 business days of receipt of the second-level appeal request to advise that the request is being processed.
- Within 30 days of receipt of the request to advise of their resolution decision.

Appendix 1

CMS-1500 Claim Form Specifications

All professional providers and third party billing agents (excluding FQHCs) should bill AMM using the most current version of the CMS-1500 claim form. Federally Qualified Health Centers (FQHCs), Rural Health Clinics (RHCs) and Tribal Health Clinics (THC) are referred cumulatively as FQHCs in this Manual.

Field Number	Title	Explanation
Field 1	Medicare / Medicaid / TRICARE / CHAMPUS / CHAMPVA / Group Health Plan / FECA Blk Lung / Other ID	If claim is for Medicare, put an X in the Medicare box. If the member has both Medicare and Medicaid, put an X in both boxes. Attach a copy of the form submitted to Medicare to the claim.
Field 1a (R)	Insured's Connect to Care ID Number	Use patient's Connect to Care ID number
Field 2 (R)	Patient's Name	Enter the last name first, then the first name, then middle initial (if known). Do not use nicknames or full middle names.
Field 3 (R)	Patient's Birth Date / Patient's Sex	Enter date of birth as MM/DD/YY (Month/Day/Year). For example, enter September 1, 1993 as 09/01/1993. Check the appropriate box for the patient's gender.
Field 4 (R)	Insured's Name	"Same" is acceptable if the insured is the patient.

Field 5 (R)	Patient's Address / Telephone	Enter complete address and telephone number. Include any unit or apartment number.
		Abbreviations for road, street, avenue, boulevard, place or other common ending to the street name are acceptable.
Field 6 (R)	Patient Relationship to Insured	Enter the relationship to the member or subscriber.
Field 7 (R)	Insured's Address	"Same" is acceptable if the insured is the patient.
Field 8	Reserved for NUCC	
Field 9 (R)	Other Insured's Name	If there is other insurance coverage in addition to the member's CMSP coverage, enter the name of the insured.
Field 9a (R)	Other Insured's Policy or Group Number	Enter the name of the insurance with the group and policy number.
Field 9b	Reserved for NUCC use	
Field 9c	Reserved for NUCC use	
Field 9d (R)	Insurance Plan Name or Program Name	Enter the name of plan carrier
Field 10 (R)	Patient's Condition Related To	Describe the injury or accident, including whether or not it occurred at work.
Field 10a (R)	Related to Employment?	Check Y or N. If insurance is related to workers' compensation, check Y.
Field 10b (R)	Related to Auto Accident / Place?	Check Y or N. Enter the state abbreviation in which the accident occurred.
Field 10c (R)	Related to Other Accident?	Check Y or N.
Field 10d	CLAIM CODES (Designated by NUCC)	
Field 11 (R)	Insured's Policy Group or FECA Number	Insured's group number. Complete information about insured, even if same as patient.
Field 11a (R)	Insured's Date of Birth / Sex	Use the date of birth format – MM/DD/YY. Check M (male) or F (female).
Field 11b (R)	Other Claim ID (Designated by NUCC)	For Workers; Compensation of Property & Casualty. Required if known. Enter the claim number assigned by the payer.
Field 11c (R)	Insurance Plan Name or Program Name	Enter the name of the plan carrier.
Field 11d (R)	Is There Another Health Benefit Plan?	Check Y or N. If yes, complete items 9A-9D.
Field 12	Patient's or Authorized Person's Signature	Sign and date the form. ("Signature on file" indicates that the appropriate signature obtained by the provider is acceptable for this field.)

Field 13	Insured's or Authorized Person's Signature	Sign and date the form. ("Signature on file" is acceptable for this field.)
Field 14 (R)	Date of Current Illness, Injury, or Pregnancy (LMP)	Enter the date of the injury, illness or pregnancy (if applicable). For professional emergency services billing, enter the Injury Date.
Field 15	Other Date	Enter the date of the first consultation for the patient's condition. Date format is MM/DD/YY.
Field 16	Dates Patient Unable to Work in Current Occupation (From - To)	Date format is MM/DD/YY.
Field 17 (R)	Name of Referring Physician or Other Source	Enter the name of physician, clinic or facility referring the patient to the provider.
Field 17a	Other ID#	This field is available to enter another identification number.
Field 17b (R)	NPI	Enter the provider's National Provider Identifier number.
Field 18	Hospitalization Dates Related to Current Services (From - To)	Required for all inpatient claims. Enter hospitalization dates. Date format is MM/DD/YY.
Field 19	Additional Claim Information	Enter up to 80 characters of free form text
Field 20	Outside Lab? (Yes or No); \$ Charge	Check Yes if lab services were sent to an outside lab; check No if not.
Field 21 (R)	ICD Indicator Diagnosis or Nature of Illness or Injury	Enter the appropriate ICD indicator (0 for 10 th revision or 9 for ninth revision) Add up to 12 diagnosis codes and related A-L to service line below (24E)
Field 22	Resubmission Code Original Ref. No	Enter the appropriate frequency code: - 7 Replacement of priorclaim - 8 Void/cancel of priorclaim Under "Original Ref. No." enter the 17-digit transaction control number (TCN) associated with any claim
Field 23	Prior Authorization Number	Enter authorization number in this field, which can be a pre-service review or reference number
Field 24a (R)	Date(s) of Service	Enter service dates from the to
Field 24b (R)	Place of Service	This is a 2-digit code. Use current coding as indicated in the CPT Manual.
Field 24c	EMG	Enter the appropriate EMG number.

Field 24d (R)	Procedure, Services, or Supplies CPT/ HCPCS and Modifiers	Enter the appropriate CPT codes or nomenclature. Indicate appropriate modifier when applicable. Do not use NOC codes unless there is no specific CPT code available. If you use an NOC code, include a narrative description.
Field 24e (R)	Diagnosis Pointer	Enter up to 4 diagnosis reference letters (A-L) from diagnosis codes listed in Box 21
Field 24f (R)	\$ Charges	Enter the charge for each line item.
Field 24g (R)	Days or Units	Enter the quantity of services for each itemized line.
Field 24h	EPSDT Family Plan	Indicate if the services were the result of Early Periodic Screening, Diagnostic and Treatment (EPSDT) Services checkup or a family planning referral.
Field 24i (R)	ID Qualifier / NPI	In the shaded area, enter the identifying qualifier if the number is a non-NPI. The Other ID# of the rendering provider should be reported in 24j in the shaded area.
Field 24j (R)	Rendering Provider NPI.	Entering the rendering provider NPI in the unshaded field of Box 24J.
Field 25 (R)	Federal tax identification number (TIN)	This is the 9-digit tax ID number listed on your W-9.
Field 26	Patient's Account Number	This is for the provider's use in identifying patients and allows up to nine numbers or letters (no other characters are allowed).
Field 27 (R)	Accept Assignment?	All providers of Medicaid services are required to check Y.
Field 28 (R)	Total Charge	Enter the total charge for each single line item.
Field 29 (R)	Amount Paid	Enter any payment that you have received for this claim.
Field 30	Reserved for NUCC use	
Field 31 (R)	Full Name and Title of Physician or Supplier	Either the actual signature ortyped / printed designation is acceptable.
Field 32 (R)	Service Facility Location Information	Required when the service location is different than that of the billing provider. Facility Name, Address, City, State, Zip and NPI fields are required.
Field 32a (R)	NPI	Enter the service facility's National Provider Identifier number, (if appropriate)
Field 32b	Facility secondary ID	This field is available for you to enter another identification number.

Field 33 (R)	Billing Provider Info and PH #	Enter the billing provider name, street, city, state, ZIP code and telephone number.
Field 33a (R)	NPI	Enter the billing provider's National Provider Identifier number.
Field 33b	Billing Provider Secondary ID	This field is available for you to enter another identification number.

Appendix 2

UB-04 Claim Form Specifications

All Connect to Care providers must bill AMM using the most current version of the UB-04 (CMS-1450) claim form.

Locator #	Box Title	Description
1 (R)	Facility name and address and telephone number	Enter the facility name, address and telephone number
2	Pay to Provider name, address and telephone number	Enter when pay to provider is different than facility listed in FL1
3a (R)	Patient Control No.	Enter the patient's account number
3b (R)	Medical Record #	Enter patient's medical record number
4 (R)	Type of Bill	Type of bill (TOB) code
5 (R)	Fed Tax No.	Enter the billing provider's federal tax identification number (TIN)
6 (R)	Statement Covers Period From/Through	The FROM and THROUGH dates for the claim being submitted
7	Unlabeled Field	
8a (R)	Patient's Connect to Care ID number	Enter patient's Connect to Care ID number
8b (R)	Patient Name	Enter patient's name
9a-e(R)	Patient Address	Enter patient's complete address (number, street, city, state and Zip code)
10(R)	Birthdate	Enter patient's date of birth using MM/DD/YYYY format
11 (R)	Gender	Enter patient's gender (M,F,U)
12 (R)	Admission Date	Enter the date patient was admitted to facility
13 (R)	Admission Hour	Enter the patient's admission hour to facility in military time (00 to 23) format
14 (R)	Admission Type	Enter the type of admission
15 (R)	Admission Source	Enter the source of admission
16	Discharge Hour	If patient has been discharged from the facility, enter patient's discharge hour in military time (00 to 23) format

17 (R)	Discharge Status	Enter the patient's discharge status
17 (K)		at the ending date of service
		reported in FL 6 or by the date of
		discharge when reported in
		occurrence code 42 FLs (31-34)
18 - 28	Condition codes	Enter Condition codes
29	Accident State	When a claim is related to an auto
		accident, enter the state where the
		accident occurred
30	Reserved	Leave blank
31-34	Occurrence Codes / Dates	Enter any occurrence codes that
		are applicable to the claim along
		with date using MM/DD/YYYY
		format. Report occurrence codes in
		alphanumeric sequence (FL31a,
		32a, 33a, 34a, 31b, 32b etc.)
35 - 36 (R)	Occurrence Span (Code, From & Through Date)	Enter any occurrence codes that
		happened over a span of time that
		are applicable to the claim. Enter
		dates using MM/DD/YYYY format
37	Reserved	Leave blank
38	Responsible Party Name and Address	Enter the name and address of the party responsible for the bill
39-41	Value Codes (Code / Amount)	Enter if any value span codes are
		applicable to the claim
42 (R)	Revenue Code	Enter Revenue Code
43 (R)	Revenue Code Description	Description of Revenue Code
44	HCPCS/Accommodation Rates/HIPPS Rate Codes	The accommodation rate per day
		for inpatient services or HCPCS/CPT
		code for outpatient and FQHC
45	Service Date	For outpatient claims, enter the
		date on which the indicated service
46 (D)	Service Units	was provided
46 (R)	Service Offics	Enter the quantitative measure of services rendered by revenue
		category for the patient.
47 (R)	Total Charges	Enter the total charges pertaining
		to the revenue code for the current
		billing period as entered in the
10		statement covers period (FL 6)
48	Non Covered Charges	Enter non-covered charges
49	Reserved	Leave blank
50 (R)	Payer Name	Enter the name of each plan from
		which the provider might expect
54 (5)		some payment for the bill
51 (R)	Payer Health Plan Identification Number	Enter the number used to identify the payer or health plan.
52 (R)	Release of Information Certification Indicator	Enter I (Informed Consent) or Y
		(Signed statement permitting
		release of medical billing data)
F2	Assignments of Depetite Contification indicat	
53	Assignments of Benefits Certification Indicator	Enter Y (Benefits Assigned) or N
		(Benefits Not Assigned or W (Not
<u>۲</u>	Drier Doumonts	Applicable)
54	Prior Payments	Prior payments

55	Estimated Amount Due - Payer	Enter the estimated amount due
		from the indicated payer in FL 50
		on lines A, B and C
56 (R)	NPI – Billing Provider	Enter the NPI assigned to the
		provider submitting the bill
57	Other (Billing) Provider Identifier	Leave blank
58 (R)	Insured's Name	Enter the name of patient or
		insured individual
59 (R)	Patient's relationship to Insured	Enter the code that indicates the
		relationship of the patient to the
		insured individual identified in FL 58
60 (R)	Insured's Unique Identifier	Enter patient's CIN number
61	Group Name	Leave blank
62	Insurance Group Number	Leave Blank
63	Authorization Code / Referral Number	Enter Referral number or Prior
		authorization number
64	Document Control Number	Enter the internal control number
		assigned to the original bill by the
		payer
65	Employer Name	Leave blank
66	Diagnosis and Procedure Code Qualifier (ICD	Enter (0 for 10 th revision or 9 for
	version)	ninth revision)
67(R)	Principal Diagnosis Code	Use the current version of ICD-CM;
		enter the principal diagnosis code
		(the condition to be chiefly
		responsible for causing the
		hospitalization)
67a - q	Other Diagnosis Codes	Use the current version of ICD-CM;
		enter all diagnosis codes that
		coexist at the time of admission,
		that develop subsequently or that
		affect the treatment received
		and/or the length of stay.
	Present on Admission Indicator (POA)	Use the eighth digit following the
		diagnosis code to report POA
		- Y - Yes
		- N –No
		 U – No information
		- W – clinically
		undetermined
68	Reserved	Leave blank
69 (R)	Admitting Diagnosis	Use the current version of ICD-CM;
		enter the code describing the
		patient's diagnosis at the time of
		admission.
70	Patient's Reason for Visit	Use the current version of ICD-CM;
		enter the code describing the
		patient reason for the visit at the
		time of outpatient registration.
71	Prospective Payment System (PPS) Code	Enter the PPS code that identifies
		the MS-DRG assigned to the claim.
72 a-c	External Cause of Injury codes	Use the current version of ICD-CM;
		Enter the code pertaining to the
		external cause of injury, poisoning
		or adverse effect.

73	Reserved	Leave blank
74	Principal Procedure Code and date	Use the current version of ICD-PCS; Enter the code for the inpatient principal procedure performed at the claim level during the period covered by this bill and the corresponding date on which the principal procedure was performed.
74а-е	Other Procedure Codes and Dates	Use the current version of ICD-PCS; Enter up to 5 additional PCS codes other than the principal procedure, and the corresponding dates.
75	Reserved	Leave blank
76 (R)	Attending Provider Name and Identifiers	For inpatient claims, enter attending physician's NPI, Last Name, and First Name.
77	Operating Physician Name and Identifiers	Enter Operating physician's NPI, Last Name, and First Name.
78 – 79	Other Provider Names and Identifiers	Enter Other physician's NPI, Last Name, and First Name.
80	Remarks	Use this field to explain special situations.
81	Code - Code	Leave blank

Appendix 3

Connect to Care Approved Procedure Code List

CPT Code	Procedure	CPT/
	Incision & drainage of abscess	Simple or single
	Incision & drainage of abscess	Complicated or multiple
	Incision & drainage of abscess	Puncture aspiration of absess
	Removal of skin tags - 15 skin tags	Removal of skin tags, multiple fibrocutaneous tags, a
	Removal of skin tags - each additional 10 skin tags	Removal of skin tags, multiple fibrocutaneous tags, a thereof (list separately in addition to code for prima
11300	Shaving of epidermal or dermal lesions - 0.5 cm or less	Shaving of epidermal or dermal lesion, single lesion,
	Shaving of epidermal or dermal lesions - 0.6-1.0 cm	Shaving of epidermal or dermal lesion, single lesion,
	Minor Laceration Repair - Simple Repair 2.5 cm or less	Simple repair of superficial wounds of scalp, neck, as feet); 2.5 cm or less
12002	Minor Laceration Repair - Simple Repair 2.6 cm to 7.5 cm	Simple repair of superficial wounds of scalp, neck, as feet); 2.6 cm to 7.5 cm
12004	Minor Laceration Repair - Simple Repair 7.6 cm to 12.5 cm	Simple repair of superficial wounds of scalp, neck, as feet); 7.6 cm to 12.5 cm
12005	Minor Laceration Repair - Simple Repair 12.6 cm to 20.0 cm	Simple repair of superficial wounds of scalp, neck, as feet); 12.6 cm to 20.0 cm
12006	Minor Laceration Repair - Simple Repair 20.1 cm to 30.0 cm	Simple repair of superficial wounds of scalp, neck, as feet); 20.1 cm to 30.0 cm
	Minor Laceration Repair - Simple Repair over 30.0 cm	Simple repair of superficial wounds of scalp, neck, as feet); over 30.0 cm
	Minor Laceration Repair - Simple Repair 2.5 cm or less	Simple repair of superficial wounds of face, ears, eye
	Minor Laceration Repair - Simple Repair 2.6 cm to 5.0 cm	Simple repair of superficial wounds of face, ears, eye
	Minor Laceration Repair - Simple Repair 5.1 cm to 7.5 cm	Simple repair of superficial wounds of face, ears, eye
	Minor Laceration Repair - Simple Repair 7.6 cm to 12.5 cm	Simple repair of superficial wounds of face, ears, eye
	Minor Laceration Repair - Simple Repair 12.6 cm to 20.0 cm	Simple repair of superficial wounds of face, ears, eye
	Minor Laceration Repair - Simple Repair 20.1 cm to 30.0 cm	Simple repair of superficial wounds of face, ears, eye
12018	Minor Laceration Repair - Simple Repair Over 30.0 cm	Simple repair of superficial wounds of face, ears, eye
	Minor Laceration Repair - Simple Repair	Treatment of superficial wound dehiscence; simple of
12021	Minor Laceration Repair - Simple Repair; with packing	Treatment of superficial wound dehiscence; simple of
13100	Benign Skin Tag, mole, wart removal (no pathology needed) - Repair, complex, trunk; 1.1 cm to 2.5 cm	Repair, complex, trunk; 1.1 cm to 2.5 cm
13101	Benign Skin Tag, mole, wart removal (no pathology needed) - Repair, complex, trunk; 2.6 cm to 7.5 cm	Repair, complex, trunk; 2.6 cm to 7.5 cm
11400	Excision - benign lesions (trunk, arms and legs) 0.5 cm or less	Excision, benign lesion including margins, except sk cm or less
11401	Excision - benign lesions (trunk, arms and legs) 0.6 to 1.0 cm	Excision, benign lesion including margins, except sk cm to 1 cm
11420	Excision - benign lesions (scalp, neck, hands, feet) 0.5 cm or less	Excision, benign lesion including margins, except ski diameter 0.5 cm or less
11421	Excision - benign lesions (scalp, neck, hands, feet) 0.6 cm to 1.0 cm	Excision, benign lesion including margins, except ski diameter 0.6 cm to 1.0 cm
11440	Excision - benign lesions (face, ears, eyelids, nose, lips, mucous membrane) 0.5 cm or less	Excision, benign lesion including margins, except ski membrane; excised diameter 0.5 cm or less
11441	Excision - benign lesions (face, ears, eyelids, nose, lips, mucous membrane) 0.6 to 1.0 cm	Excision, benign lesion including margins, except ski membrane; excised diameter 0.6 to 1.0 cm
17000	Destruction, Benign or premalignant lesions- 1st lesion	Destruction (e.g., laser surgery, electro surgery, cryo actinic kerotoses); first lesion
17003	Destruction, premalignant lesions - 2-14 lesions	Destruction (e.g., laser surgery, electro surgery, cryo actinic kerotoses); second thru 14 lesions
17004	Destruction, premalignant lesions - 15 or more lesions	Destruction (e.g., laser surgery, electro surgery, cryo actinic kerotoses); 15 or more lesions
17110	Destruction, Benign lesions - up to 14 lesions	Destruction (e.g., laser surgery, electro surgery, cryo skin tags or cutaneous vascualar proliferative lesion
17111	Destruction, Benign lesions - 15 or more lesions	Destruction (e.g., laser surgery, electro surgery, cryo skin tags or cutaneous vascualar proliferative lesion

F/HCPCS Code Description

, any area; up to and including 15 lesions , any area; up to and including 15 lesions; each addition 10 lesions, or part nary procedure)

n, trunk, arms or legs; lesion diameter 0.5 cm or less

n, trunk, arms or legs; lesion diameter 0.6 cm to 1.0 cm

axillae, external genitalia, trunk and/or extremities (including hands and

axillae, external genitalia, trunk and/or extremities (including hands and

axillae, external genitalia, trunk and/or extremities (including hands and

axillae, external genitalia, trunk and/or extremities (including hands and

axillae, external genitalia, trunk and/or extremities (including hands and

axillae, external genitalia, trunk and/or extremities (including hands and

yelids, nose, lips and/or mucous membranes; 2.5 cm or less yelids, nose, lips and/or mucous membranes; 2.6 cm to 5.0 cm yelids, nose, lips and/or mucous membranes; 5.1 cm to 7.5 cm yelids, nose, lips and/or mucous membranes; 7.6 cm to 12.5 cm yelids, nose, lips and/or mucous membranes; 12.6 cm to 20.0 cm yelids, nose, lips and/or mucous membranes; 20.1 cm to 30.0 cm yelids, nose, lips and/or mucous membranes; Over 30.0 cm e closure

e closure; with packing

skin tag (unless listed elsewhere), trunk, arms, or legs; excised diameter 0.5 skin tag (unless listed elsewhere), trunk, arms, or legs; excised diameter 0.6 skin tag (unless listed elsewhere), scalp, neck, hands, feet, genetalia; excised skin tag (unless listed elsewhere), scalp, neck, hands, feet, genetalia; excised skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous skin tag (unless listed elsewhere), face, ears, eyelids, nose, lips, mucous syosurgery, chemosurgery, surgical curettement), premalignant lesions (e.g. yosurgery, chemosurgery, surgical curettement), premalignant lesions (e.g.

yosurgery, chemosurgery, surgical curettement), of benign lesions other than ons; up to 14 lesions

yosurgery, chemosurgery, surgical curettement), of benign lesions other than ons; 15 or more lesions
	Procedure	CPT,
	Ingrown toenail removal	Wedge excision of skin of nail fold (eg, for ingrown
	Injection of tendon sheaths	Injection(s); single tendon sheath, or ligament, apor
	Injection of tendon sheaths	Injection(s); single tendon sheath, or ligament, apor
	Injection of trigger points	Injection(s); single or multiple trigger point(s), 1 or
	Injection of trigger points	Injection(s); single or multiple trigger point(s),3 or
20600	Injection of buse	Arthrocentesis, aspiration and/or injection, small jo
20605	Injection of buse	Arthrocentesis, aspiration and/or injection, intermo elbow or ankle, olecranon bursa); without ultrasour
20610	Injection of buse	Arthrocentesis, aspiration and/or injection,major jo guidance
36415	Venipuncture	Collection of venous blood by venipuncture
36416	Venipuncture	Collection of capillary blood specimen (e.g., finger, h
45330	Sigmoidscopy	Sigmoidoscopy, flexible; diagnostic, with or without
45331	Sigmoidscopy	Sigmoidoscopy, flexible; with biopsy, single or mult
45332	Sigmoidscopy	Sigmoidoscopy, flexible; with removal of foreign bo
	Sigmoidscopy	Sigmoidoscopy, flexible; with removal of tumor(s),
		Sigmoidoscopy, flexible; with control of bleeding (e.
45334	Sigmoidscopy	plasma coagulator)
45335	Sigmoidscopy	Sigmoidoscopy, flexible; with directed submucosal
	Sigmoidscopy	Sigmoidoscopy, flexible; with decompression of vol
	Sigmoidscopy	Sigmoidoscopy, flexible; with removal of tumor(s),
	Sigmoidscopy	Sigmoidoscopy, flexible; with dilation by balloon, 1
	Sigmoidscopy	Sigmoidoscopy, flexible; with endoscopic ultrasoun
	Sigmoidscopy	Sigmoidoscopy, flexible; with transendoscopic ultra
45346	Sigmoidscopy	Sigmoidoscopy, flexible; with ablation of tumor(s), j passage, when performed)
45378	Colonoscopy	Colonoscopy, flexible, proximal to splenic flexure; d with or without colon decompression (separate pro
45379	Colonoscopy	Colonoscopy, flexible, proximal to splenic flexure; w
	Colonoscopy	Colonoscopy, flexible, proximal to splenic flexure; w
	Colonoscopy	Colonoscopy, flexible, proximal to splenic flexure; w
	Colonoscopy	Colonoscopy, flexible, proximal to splenic flexure; w laser, heater probe, stapler, plasma coagulator)
45384	Colonoscopy	Colonoscopy, flexible, proximal to splenic flexure; w or bipolar cautery
45385	Colonoscopy	Colonoscopy, flexible, proximal to splenic flexure; w
45206	Coloneacony	Colonoscony flowible provincel to enlargic flow years
45500	Colonoscopy	Colonoscopy, flexible, proximal to splenic flexure; w
45388	Colonoscopy	Colonoscopy, flexible; with ablation of tumor(s), popassage, when performed)
45391	Colonoscopy	Colonoscopy, flexible, proximal to splenic flexure; w
45392	Colonoscopy	Colonoscopy, flexible, proximal to splenic flexure; w aspiration/biopsy(s)
46083	Treatment of minor hemorrhoids	Incision of thrombosed hemorrhoid, external
	Treatment of minor hemorrhoids	Incision of thrombosed hemorrhoid, external
	Impacted Ear Wax Removal	Removal impacted cerumen requiring instrumentation
	Lung Cancer Screening	Computed tomography, thorax; without contrast m
	X-Ray - Neck	Radiologic examination; neck, soft tissue
	X-Ray - Chest	Radiologic examination, chest; single view
	X-Ray - Chest	Radiologic examination, chest; 2 views
	X-Ray - Ribs	Radiologic examination, ribs; Unilateral; 2 views
	X-Ray - Ribs	Radiologic examination, ribs, Unilateral; 2 views; in
	X-Ray - Ribs	Radiologic examination, ribs, Offiateral; 2 views, in
	X-Ray - Ribs	Radiologic examination, ribs; Bilateral; 3 views; incl
/ 1 1 1 1	л пау 11105	

n toenail)

oneurosis (e.g., plantar "fascia")

oneurosis (e.g., plantar "fascia") - Single tendon origin/insertion

or 2 muscle (s)

r more muscles

joint or burse (e.g., fingers, toes); without ultrasound guidance

nediate joint or bursa (e.g., temporomandibular, acromioclavicular, wrist, und guidance

joint or busa (e.g., shoulder, hip knee, subcromial bursa); without ultrasound

heel, ear stick)

ut collection of specimen(s) by brushing or washing

ltiple ody

, polyp(s), or other lesion(s) by hot biopsy forceps or bipolar cautery e.g., injection, bipolar cautery, unipolar cautery, laser, heater probe, stapler,

l injection(s), any substance

olvulus, any method

, polyp(s), or other lesion(s) by snare technique

l or more strictures nd examination

rasound guided intramural or transmural fine needle aspiration/biopsy(s)

, polyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire

diagnostic, with or without collection of specimen(s) by brushing or washing, rocedure)

with removal of foreign body

with biopsy, single or multiple

with directed submucosal injection(s), any substance

with control of bleeding (e.g., injection, bipolar cautery, unipolar cautery,

with removal of tumor(s), polyp(s), or other lesion(s) by hot biopsy forceps

with removal of tumor(s), polyp(s), or other lesion(s) by snare technique

with dilation by balloon, 1 or more structures

olyp(s), or other lesion(s) (includes pre- and post-dilation and guide wire

with endoscopic ultrasound examination with transendoscopic ultrasound guided intramural or transmural fine needle

ation, unilateral naterial

ncluding posteroanterior chest, minimum of 3 views

cluding posteroanterior chest, minimum of 4 views

CPT	Procedure	CPT/H
Code	Trocedure	
	X-Ray - Spine	Radiologic examination; spine, single view, specify lev
	X-Ray - Spine, Cervical	Radiologic examination; spine, cervical; 2 or 3 views
	X-Ray - Spine, Cervical	Radiologic examination; spine, cervical; 4 or 5 views
	X-Ray - Spine, Cervical	Radiologic examination; spine, cervical; 6 or more vie
	X-Ray - Spine, Thoracic	Radiologic Examinaition, spine; thoracic, 2 views
	X-Ray - Spine, Thoracic	Radiologic Examinaition, spine; thoracic, 3 views
	X-Ray - Spine, Thoracic	Radiologic examination, spine, lumbosacral; 2 or 3 vie
	X-Ray - Spine, Lumbosacral	Radiologic Examination, spine, lumbosacral; minimum
	X-Ray - Spine, Lumbosacral	Radiologic Examination, spine, lumbosacral; complete
	X-Ray - Pelvis	Radiologic Examination, pelvis; 1 or 2 views
	X-Ray - Pelvis	Radiologic Examination, pelvis; complete; minimum o
	X-Ray - Sacrum and Coccyx	Radiologic Examination, sacrum and coccyx, minimum
	X-Ray - Clavicle	Radiologic Examination, clavicle, complete
	X-Ray - Scapula	Radiologic Examination, scapula, complete
	X-Ray - Shoulder	Radiologic Examination, shoulder, 1 view
	X-Ray - Shoulder	Radiologic Examination, shoulder, complete, 2 views
	X-Ray - Humerus	Radiologic Examination, humerus, minimum of 2 view
	X-Ray - Elbow	Radiologic Examination, elbow, 2 views
	X-Ray - Elbow	Radiologic Examination, elbow, complete, minimum o
	X-Ray - Forearm	Radiologic Examination, forearm, 2 views
	X-Ray - Wrist	Radiologic Examination, wrist; 2 views
	X-Ray - Wrist	Radiologic Examination, wrist; complete; minimum of
	X-Ray - Hand	Radiologic Examination, hand; 2 views
	X-Ray - Hand	Radiologic Examination, hand; minimum of 3 views
	X-Ray - Fingers	Radiologic Examination , fingers; minimum of 2 views
	X-Ray - Hip X-Ray - Hip	Radiologic Examination, hip , unilateral, with pelvis w
	X-Ray - Hip	Radiologic Examination, hip , unilateral, with pelvis w Radiologic Examination, hip , unilateral, with pelvis w
	X-Ray - Hip	Radiologic Examination, hip , bilateral, with pelvis w
	X-Ray - Hip	Radiologic Examination, hip , bilateral, with pelvis wh
	X-Ray - Hip	Radiologic Examination, hip , bilateral, with pelvis wh
	X-Ray - Femur	Radiologic Examination, hip , bhaterai, with pervis with Radiologic Examination, femur, 1 view
	X-Ray - Femur	Radiologic Examination, femur, minimum of 2 views
	X-Ray - Knee	Radiologic Examination, knee, 1 or 2 views
	X-Ray - Knee	Radiologic Examination, knee, 3 views
	X-Ray - Knee	Radiologic Examination, knee, 4 or more views
	X-Ray - Knee	Radiologic Examination, both knees, anteroposterior
	X-Ray - Tibia and Fibula	Radiologic Examination, tibia and fibula, 2 views
	X-Ray - Ankle	Radiologic Examination, ankle, 2 views
	X-Ray - Ankle	Radiologic Examination, complete ankle, minimum of
	X-Ray - Foot	Radiologic Examination, foot, 2 views
	X-Ray - Foot	Radiologic Examination, complete foot, minimum of 3
	X-Ray - Calcaneus	Radiologic Examination, calcaneus, minimum of 2 view
	X-Ray - Toe(s)	Radiologic Examination, toe(s) minimum of 2 views
	X-Ray - Abdomen	Radiologic Examination, abdomen; single view
74019	X-Ray - Abdomen	Radiologic Examination, abdomen; 2 views
74021	X-Ray - Abdomen	Radiologic Examination, abdomen; 3 or more views
74022	X-Ray - Abdomen	Radiologic Examination, abdomen; complete acute ab chest
74263	Colorectal Cancer	Computed tomographic (CT) colonography, screening
	Ultrasound, Head and Neck	Ultrasound, Soft tissues of head and neck (E.g., thyroid
	Ultrasound, Chest	Ultrasound, chest (includes mediastinum), real time v
	Ultrasound, Chest	Limited, only once per breast, per session
	Ultrasound, Abdomen and Retroperitoneum	Ultrasound, abdominal, real time with image document
	Ultrasound, Abdomen and Retroperitoneum	Limited (e.g., single organ, quadrant, follow-up)
	· 1	

PT/HCPCS Code Description
y level
2WS
ews
e views
3 views
imum of 4 views
plete, including bending views, minimum of 6 views
um of 3 views
mum of 2 views
ews
views
um of 3 views
um of 3 views
WS
iews
vis when performed, 1 view
vis when performed, 2-3 views vis when performed, minimum of 4 views
s when performed, 2 views
s when performed, 3-4 views
s when performed, minimum of 5 views
s when performed, minimum of 5 views
ews
rior
m of 3 views
of 3 views
2 views
WS
WS
te abdomen series, including supine, erect, and/or decubitus views, single view
ening, including image postprocessing
yroid, paratyroid, parotid), real time with image documentation
me with image documentation
umentation; complete

СРТ	Procedure	СРТ
Code		
	Ultrasound, Abdomen and Retroperitoneum	Ultrasound, retroperitoneal (e.g., renal, aorta, nodes
	Ultrasound, Abdomen and Retroperitoneum	Limited
	Ultrasound, Spinal Canal	Ultrasound, spinal canal and contents
	Ultrasound, nonobstetrical	Ultrasound, transvaginal
	Ultrasound, nonobstetrical	Saline infusion sonohysterography(SIS), including c
	Ultrasound, nonobstetrical	Ultrasound, pelvic (nonobstetric), real time with ima
	Ultrasound, nonobstetrical	limited or follow up (eg, for follicles)
	Ultrasound, Genitalia	Ultrasound, scrotum and contents
	Ultrasound, Genitalia	Ultrasound, transrectal
	Ultrasound, Genitalia	prostate volume study for brachytherapy treatment
	Ultrasound, Extremities; complete Ultrasound, Extremities; Limited	Ultrasound, extremity, nonvascualar, real-time with Ultrasound, extremity, nonvascualar, real-time with
	DXA Scan Osteoporosis	Computed tomography, bone mineral density study,
	DXA Scan Osteoporosis	Dual-energy X-ray absorptiometry (DXA), bone dens
77000		Dual-energy X-ray absorptiometry (DXA), bone dens
77081	DXA Scan Osteoporosis	wrist, heel)
77085	DXA Scan Osteoporosis	Dual-energy X-ray absorptiometry (DXA), bone dens
	•	vertebral fracture assessment
	DXA Scan Osteoporosis	Vertebral fracture assessment via dual-energy X-ray
80061	Lipid Disorders in Adults	Lipid panel
82270	Occult Blood - Colorectal Cancer Screening	Blood, occult, by peroxidase activity (e.g., guaiac), qu for colorectal neoplasm screening
82274	Fecal Hemoglobin - Colorectal Cancer Screening	Blood, occult, by fecal hemoglobin determination by
82465	Lipid Disorders in Adults	Cholesterol, serum or whole blood, total
	Type 2 Diabetes Mellitus	Glucose; quantitative, blood (except reagent strip)
82948	Type 2 Diabetes Mellitus	Glucose; blood, reagent strip
	Hemoglobin; Glycosylated (A1C)	High performance liquid chromatography and ion e
	Lipid Disorders in Adults	Lipoprotein, direct measurement; high density chole
	Lipid Disorders in Adults	Lipoprotein, direct measurement; VLDL cholesterol
	Lipid Disorders in Adults	Lipoprotein, direct measurement; LDL cholesterol
	Lipid Disorders in Adults	Triglycerides
	Syphilis - Sexually Transmitted Infections (STI) Screening	Syphilis test, non-treponemal antibody; qualitative
	Syphilis - Sexually Transmitted Infections (STI) Screening	Syphilis test, non-treponemal antibody; qualitative (
	Syphilis - Sexually Transmitted Infections (STI) Screening	Syphilis test, quantitative e.g VDRL, RPR
	Chlamydia - Sexually Transmitted Infections (STI) Screening	Chlamydia antibody
	Chlamydia - Sexually Transmitted Infections (STI) Screening	Chlamydia IGm
	HIV Antibody Screening - Sexually Transmitted Infections (STI) Screening	Antibody; HTLV or HIV antibody, confirmatory test
	HIV-1 Screening HIV -2 Screening	Antibody; HIV-1 Antibody; HIV-2
	HIV -1 and HIV -2 Screening	Antibody; HIV-2 and HIV-2, single assay
	Hepatitis B Virus Screening	Hepatitis B core antibody (HBcAb); total
	Hepatitis B Virus Screening	Hepatitis B surface antibody (HBsAb)
	Hepatitis B Virus Screening	Hepatitis Be antibody (HBeAb)
	Hepatitis C Virus Screening	Hepatitis C antibody (IIBCHD)
	Chlamydia and Gonorrhea	Culture, chlamydia, any source
	Chlamydia and Gonorrhea	Infectious agent antigen detection by immunofluore
	Chlamydia and Gonorrhea	Infectious agent antigen detection by enzyme immu
87340	Hepatitis B Virus Screening	Infectious agent antigen detection by enzyme immu hepatitis B surface antigen (HBsAg)
87390	HIV Screening	Infectious agent antigen detection by enzyme immu HIV-1
87391	HIV Screening	Infectious agent antigen detection by enzyme immu HIV-2
87491	Chlamydia and Gonorrhea	Infectious agent detection by nucleic acid (DNA or R
		· · · · · · · · · · · · · · · · · · ·

T/HCPCS Code Description
es), real time with image documentation; complete
color flow Doppler, when performed
mage documentation; complete
nt planning (separate procedure)
th image documentation; complete
th image documentation; Limited, anatomic specific
ly, 1 or more sites; axial skeleton (e.g., hips, pelvis, spine)
nsity study, 1 or more sites; axial skeleton (e.g., hips, pelvis, spine)
nsity study, 1 or more sites; appendicular skeleton (peripheral) (e.g., radius,
nsity study, 1 or more sites; axial skeleton (e.g., hips, pelvis, spine), including
ay absorptiometry (DXA)
qualitative; feces, consecutive collected specimens with single determination,
by immunoassay, qualitative, feces, 1-3 simultaneous determinations
exchange chromatography.
olesterol (HDL cholesterol)
ol
۵ ۵
e (e.g., VDRL, RPR, ART)
st (e.g., Western Blot)
rescent technique
nunoassay technique, qualitative or semiquantitative, multiple-step method
unoassay technique, qualitative or semiquantitative, multiple-step method;
unoassay technique, qualitative or semiquantitative, multiple-step method;
nunoassay technique, qualitative or semiquantitative, multiple-step method;
RNA); amplified probe technique

CPT Code	Procedure	CPT/HCPCS (
87492	Chlamydia and Gonorrhea	Infectious agent detection by nucleic acid (DNA or RNA); quan
87590	Chlamydia and Gonorrhea	Infectious agent detection by nucleic acid (DNA or RNA); Neis
87591	Chlamydia and Gonorrhea	Infectious agent detection by nucleic acid (DNA or RNA); Neis
	Chlamydia and Gonorrhea	Neisseria gonorrhea, quantification
	HPV DNA Testing for Women ages 30 or older	Infectious agent detection by nucleic acid (DNA or RNA); papi
	Chlamydia and Gonorrhea	Infectious agent detection by DNA or RNA, direct probe techni
	Chlamydia and Gonorrhea	Chlamydia antigen detection by immunoassay with direct opti
	Chlamydia and Gonorrhea	Infectious agent antigen detection by immunoassay with direct
	Adult Immunizations - Administration	Immunization administration (includes percutaneous, intrade (single or combination vaccine/toxoid)
90472	Adult Immunizations - Administration	Immunization administration (includes percutaneous, intrade vaccine (single or combination vaccine/toxoid) (List separate
90473	Adult Immunizations - Administration	Immunization administration by intranasal or oral route; 1 va
90474	Adult Immunizations - Administration	Immunization administration by intranasal or oral route; each separately in addition to code for primary procedure)
90581	Adult Immunizations - Anthrax	Anthrax vaccine, for subcutaneous or intramuscular
90585	Adult Immunizations - BCG	Bacillus Calmette-Guerin vaccine (BCG) for tuberculosis, live, f
90586	Adult Immunizations - BCG	Bacillus Calmette-Guerin vaccine (BCG) for bladder cancer, liv
90620	Adult Immunizations - Meningococcal	Meningococcal recombinant protein and outer membrane ves
90621	Adult Immunizations - Meningococcal	Meningococcal recombinant lipoprotein vaccine, serogroup B,
90630	Adult Immunizations - Influenza	Influenza virus vaccine, quadrivalent (IIV4), split virus, preser
90632	Adult Immunizations - Hepatitis A	Hepatitis A vaccine, adult dosage, for intramuscular use
90636	Adult Immunizations - Hepatitis A & B	Hepatitis A and hepatitis B vaccine (HepA-HepB), adult dosage
90649	Adult Immunizations - HPV: ages 9-26	Human Papilloma virus (HPV) vaccine, types 6, 11, 16, 18 (qua
	Adult Immunizations - HPV: ages 9-26	Human Papilloma virus (HPV) vaccine, types 16, 18, bivalent,
	Adult Immunizations - HPV: ages 9-26	Human Papillomavirus vaccine types 6, 11, 16, 18, 31, 33, 45, 5
90653	Adult Immunizations - Influenza	Influenza vaccine, inactivated, subunit, adjuvanted, for intram
	Adult Immunizations - Influenza	Influenza virus vaccine, split virus, preservative-free, for intra
	Adult Immunizations - Influenza	Influenza virus vaccine, split virus, preservative-free, 0.25 mL
	Adult Immunizations - Influenza	Influenza virus vaccine, split virus, preservative-free, when ad
90658	Adult Immunizations - Influenza	Influenza virus vaccine, split virus, when administered to indi
	Adult Immunizations - Influenza	Influenza virus vaccine, live, for intranasal use
90661	Adult Immunizations - Influenza	Influenza virus vaccine, derived from cell cultures, subunit, pr
	Adult Immunizations - Influenza	Influenza virus vaccine, split virus, preservative free, enhanced intramuscular use
90670	Adult Immunizations - Pneumococcal (polysaccharide)	Pneumococcal conjugate vaccine, 13 valent, for intramuscular
	Adult Immunizations - Influenza	Influenza virus vaccine, quadrivalent, live, for intranasal use
	Adult Immunizations - Influenza	Influenza virus vaccine, trivalent, derived from recombinant D antibiotic free, for intramuscular use
90675	Adult Immunizations - Rabies	Rabies vaccine, for intramuscular use
	Adult Immunizations - Rabies	Rabies vaccine, for intradermal use
	Adult Immunizations - Influenza	Influenza virus vaccine, quadrivalent, split virus, preservative for intramuscular use
90688	Adult Immunizations - Influenza	Influenza virus vaccine, quadrivalent, split virus, when admini use
90690	Adult Immunizations - Typhoid	Typhoid vaccine, live, oral
	Adult Immunizations - Typhoid	Typhoid vaccine, Vi capsular polysaccharide (ViCPs), for intra
		Diphtheria, tetanus toxoids, acellular pertussis vaccine, inactiv
90697	Adult Immunizations - DTP	conjugate vaccine, and hepatitis B vaccine (DTaP-IPV-Hib-Hep
90698	Adult Immunizations - DTP	Diphtheria, tetanus toxoids, and acellular pertussis vaccine, Ha (DTaP-Hib-IPV), for intramuscular use
90707	Adult Immunizations - MMR (Measles, Mumps, Rubella)	Measles, mumps and rubella virus vaccine (MMR), live, for sub
20707	man minimumzations minimumps, nubenaj	

RNA); quantification

RNA); Neisseria gonorrhoeae, direct probe technique

RNA); Neisseria gonorrhoeae, amplified probe technique

RNA); papillomavirus, human, quantification

probe technique

th direct optical observation

ay with direct optical observation; Neisseria gonorrhoeae

eous, intradermal, subcutaneous, or intramuscular injections); 1 vaccine

eous, intradermal, subcutaneous, or intramuscular injections); each additional list separately in addition to code for primary procedure)

al route; 1 vaccine (single or combination vaccine/toxoid)

al route; each additional vaccine (single or combination vaccine/toxoid) (List ure)

culosis, live, for percutaneous use

er cancer, live, for intravesical use

embrane vesicle vaccine, serogroup B, 2 dose schedule, for intramuscular

serogroup B, 3 dose schedule, for intramuscular use virus, preservative free, for intradermal use

adult dosage, for intramuscular use

, 16, 18 (quadrivalent), 3 dose schedule, for intramuscular use

8, bivalent, 3 dose schedule, for intramuscular use

31, 33, 45, 52, 58, nonavalent (HPV), 3 dose schedule, for intramuscular use

d, for intramuscular use

ree, for intradermal use

ree, 0.25 mL dosage, for intramuscular use

ree, when administered to individuals 3 years and older, for intramuscular

tered to individuals 3 years of age and older, for intramuscular use

, subunit, preservative and antibiotic free, for intramuscular use ree, enhanced immunogenicity via increased antigen content, for

tramuscular use

combinant DNA (RIV3), hemagglutinin (HA) protein only, preservative and

preservative free, when administered to individuals 3 years of age and older,

when administered to individuals 3 years of age and older, for intramuscular

Ps), for intramuscular use

ccine, inactivated poliovirus vaccine, Haemophilus influenza type b PRP-OMP IPV-Hib-HepB), for intramuscular use

is vaccine, Haemophilus influenza Type B, and poliovirus vaccine, inactivated

live, for subcutaneous use

CPT Code	Procedure	CPT/
90710	Adult Immunizations - MMRV (Measles, mumps, rubella, and varicella)	Measles, mumps, rubella, and varicella vaccine (MM
90714	Adult Immunizations - DTP	Tetanus and diphtheria toxoids (Td) adsorbed, pres
50714		intramuscular use
90715	Adult Immunizations - DTP	Tetanus, diphtheria toxoids and acellular pertussis v
		intramuscular use
	Adult Immunizations - Varicella	Varicella virus vaccine, live, for subcutaneous use
90717	Adult Immunizations - Yellow Fever	Yellow fever vaccine, live, for subcutaneous use
90721	Adult Immunizations - DTP	Diphtheria, tetanus toxoids, and acellular pertussis
		use
90723	Adult Immunizations - DTP	Diphtheria, tetanus toxoids, acellular pertussis vacci
50720		intramuscular use
90732	Adult Immunizations - Pneumococcal (polysaccharide)	Pneumococcal polysaccharide vaccine, 23-valent, ad
		2 years or older, for subcutaneous or intramuscular
	Adult Immunizations - Meningococcal	Meningococcal polysaccharide vaccine (any group(s
	Adult Immunizations - Meningococcal	Meningococcal conjugate vaccine, serogroups A, C, Y
	Adult Immunizations - Zoster	Zoster (shingles) vaccine, live, for subcutaneous inje
	Adult Immunizations - Japanese Encephalitis	Japanese encephalitis virus vaccine, inactivated, for
	Adult Immunizations - Hepatitis B	Hepatitis B vaccine, adult dosage (2 dose schedule),
	Adult Immunizations - Hepatitis B	Hepatitis B vaccine, dialysis or immunosuppressed j
	Adult Immunizations - Hepatitis B	Hepatitis B vaccine, adult dosage, for intramuscular
	Adult Immunizations - Hepatitis B	Hepatitis B vaccine, dialysis or immunosuppressed j
	Adult Immunizations - Hepatitis B	Hepatitis B and Haemophilus influenza b vaccine (H
93000	Electrocardiogram (EKG)	Electrocardiogram, Routine ECG with at least 12 lea
93005	Electrocardiogram (EKG); Tracing only & no interpretation/report	Electrocardiogram, Routine ECG with at least 12 lear report
	Electrocardiogram(EKG); Interpretation/report	Interpretation and report only
	Electrocardiogram(EKG); Rhythm ECG	Rhythm ECG, 1-3 leads; with interpretation and repo
	Electrocardiogram(EKG); Rhythm ECG; Tracing only & no interpretation/report	Tracing only, without interpretation and report
93042	Electrocardiogram(EKG); Rhythm ECG; interpretation/report	Interpretation and report only
96127	Depression Screening	Brief emotional/behavioral assessment (for exampl scale), with scoring and documentation, per standar
0(1(0	Health Dials Assessment	Administration of patient-focused health risk assess
90100	Health Risk Assessment	documentation, per standardized instrument.
06161	Health Risk Assessment	Administration of caregiver-focused health risk asse
90101		patient, with scoring and documentation, per standa
99000	Lab handling of specimens	Handling and preparation specimens if sending to a
99078	Tobacco Use Counseling and intervention	Physician educational services rendered to patients
		Office or other outpatient visit for the evaluation and
		problem focused history; a problem focused examin
99201	Office Visit - New Patient Level 1	coordination of care with other physicians, other qu
		the nature of the problem(s) and the patient's and/o
		minor. Typically, 10 min are spent face-to-face with
		Office or other outpatient visit for the evaluation and
00202	Office Visit - New Patient Level 2	expanded problem focused history; an expanded pro
99202	Office visit - New Patient Level 2	Counseling and/or coordination of care with other p
		provided consistent with the nature of the problem(
		problem(s) are of low to moderate severity. Typical
		Office or other outpatient visit for the evaluation and
99202	Office Visit - New Patient Level 3	expanded problem focused history; an expanded pro Counseling and/or coordination of care with other p
99203		provided consistent with the nature of the problem
		problem(s) are of low to moderate severity. Typical

MRV), live, for subcutaneous use

eservative free, when administered to individuals 7 years or older, for

s vaccine (Tdap), when administered to individuals 7 years or older, for

s vaccine and Haemophilus influenza B vaccine (DtaP-Hib), for intramuscular

ccine, Hepatitis B, and poliovirus vaccine, inactivated (DTaP-HepB-IPV), for

adult or immunosuppressed patient dosage, when administered to individuals or use

(s)), for subcutaneous use

Y and W-135 (tetravalent), for intramuscular use

jection

r intramuscular use

), for intramuscular use

l patient dosage (3 does schedule), for intramuscular use

ir use

l patient dosage (4 dose schedule), for intramuscular use

Hep- B-Hib), for intramuscular use

eads; with interpretation and report

eads; with interpretation and report; Tracing only, without interpretation and

port

ple, depression inventory, attention-deficit/hyperactivity disorder [ADHD] ardized instrument

ssment instrument (e.g., health hazard appraisal) with scoring and

sessment instrument (e.g., depression inventory) for the benefit of the dardized instrument.

an outside lab or state lab

ts in a group setting (e.g., prenatal, obesity, or diabetic instructions)

and management of a new patient, which requires these 3 key components: a ination; straightforward medical decision making. Counseling and/or qualified health care professionals, or agencies are provided consistent with /or family's needs. Usually, the presenting problem(s) are self limited or the patient and/or family.

nd management of a new patient, which requires these 3 key components: an problem focused examination; straightforward medical decision making. • physicians, other qualified health care professionals, or agencies are n(s) and the patient's and/or family's needs. Usually, the presenting ally, 20 minutes are spent face-to-face with the patient and/or family.

and management of a new patient, which requires these 3 key components: an problem focused examination; straightforward medical decision making. If physicians, other qualified health care professionals, or agencies are n(s) and the patient's and/or family's needs. Usually, the presenting ally, 20 minutes are spent face-to-face with the patient and/or family.

CPT Code	Procedure	CPT,
99204	Office Visit - New Patient Level 4	Office or other outpatient visit for the evaluation an expanded problem focused history; an expanded pro- Counseling and/or coordination of care with other p provided consistent with the nature of the problem(problem(s) are of moderate to high severity. Typica
99205	Office Visit - New Patient Level 5	Office or other outpatient visit for the evaluation an expanded problem focused history; an expanded pro- Counseling and/or coordination of care with other p provided consistent with the nature of the problem(problem(s) are of moderate to high severity. Typica
99211	Office Visit - Established Patient Level 1	Office or other outpatient visit for the evaluation an of a physician or other qualified health care professi are spent performing or supervising these services.
99212	Office Visit - Established Patient Level 2	Office or other outpatient visit for the evaluation and key components: a problem focused history; a probl Counseling and/or coordination of care with other p provided consistent with the nature of the problem(problem(s) are self limited or minor. Typically, 10 m
99213	Office Visit - Established Patient Level 3	Office or other outpatient visit for the evaluation and key components: an expanded problem focused hist low complexity. Counseling and coordination of care agencies are provided consistent with the nature of presenting problem(s) are of low to moderate sever family.
99214	Office Visit - Established Patient Level 4	Office or other outpatient visit for the evaluation and key components: a detailed history; a detailed exam and/or coordination of care with other physicians, c consistent with the nature of the problem(s) and the moderate to high severity. Typically, 25 minutes are
99215	Office Visit - Established Patient Level 5	Office or other outpatient visit for the evaluation and key components: a comprehensive history; a compre- Counseling and/or coordination of care with other p provided consistent with the nature of the problem(problem(s) are of moderate to high severity. Typical
99241	Office Consultation - Level 1	Office consultation for a new or established patient, problem focused examination; and straightforward physicians, other qualified health care professionals the patient's and or/family's needs. Usually, the pres spent face-to-face with the patient and/or family.
99242	Office Consultation - Level 2	Office consultation for a new or established patient, histroy; an expanded problem focused examination; coordination of care with other physicians, other qu the nature of the problem(s) and the patient's and/o Typically, 30 minutes are spent face-to-face with the
99243	Office Consultation - Level 3	Office consultation for a new or established patient, examination; and medical decision making of low co other qualified health care professionals, or agencie patient's and/or family's needs. Usually, the present face-to-face with the patient and/or family.

nd management of a new patient, which requires these 3 key components: an problem focused examination; straightforward medical decision making. • physicians, other qualified health care professionals, or agencies are n(s) and the patient's and/or family's needs. Usually, the presenting cally, 45 minutes are spent face-to-face with the patient and/or family.

nd management of a new patient, which requires these 3 key components: an problem focused examination; straightforward medical decision making. • physicians, other qualified health care professionals, or agencies are n(s) and the patient's and/or family's needs. Usually, the presenting cally, 60 minutes are spent face-to-face with the patient and/or family.

nd management of an established patient, that may not require the presence sional. Usually, the presenting problem(s) are minimal. Typically, 5 minutes

nd management of an established patient, which requires at least 2 of these 3 blem focused examination; straightforward medical decision making. • physicians, other qualified health care professionals, or agencies are n(s) and the patient's and/or family's needs. Usually, the presenting minutes are spent face-to-face with the patient and/or family.

and management of an established patient, which requires at least 2 of these 3 story; an expanded problem focused examination; medical decision making of are with other physicians, other qualified health care professionals, or of the problem(s) and the patient's and/or family's needs. Usually, the erity. Typically, 15 minutes are spent face-to-face with the patient and/or

nd management of an established patient, which requires at least 2 of these 3 mination; medical decision making of moderate complexity. Counseling , other qualified health care professionals, or agencies are provided he patient's and/or family's needs. Usually, the presenting problem(s) are of re spent face-to-face with the patient and/or family.

nd management of an established patient, which requires at least 2 of these 3 orehensive examination; medical decision making of high complexity. • physicians, other qualified health care professionals, or agencies are n(s) and the patient's and/or family's needs. Usually, the presenting cally, 40 minutes are spent face-to-face with the patient and/or family.

t, which requires these 3 key components: a problem focused history; a d medical decision making. Counseling and/or coordination of care with other ls, or agencies are provided consistent with the nature of the problem(s) and resenting problem(s) are self limited or minor. Typically, 15 minutes are

t, which requires these 3 key components: an expanded problem focused n; and straightforward medical decision making. Counseling and/or qualified health care professionals, or agencies are provided consistent with /or family's needs. Usually, the presenting problem(s) are of low severity. he patient and/or family.

t, which requires these 3 key components: a detailed history; a detailed complexity. Counseling and/or coordination of care with other physicians, ies are provided consistent with the nature of the problem(s) and the nting problem(s) are of moderate severity. Typically, 40 minutes are spent

CPT Code	Procedure	CPT
	Office Consultation - Level 4	Office consultation for a new or established patient, comprehensive examination; and medical decision r with other physicians, other qualified health care pr problem(s) and the patient's and/or family's needs. Typically, 60 minutes are spent face-to-face with the
99245	Office Consultation - Level 5	Office consultation for a new or established patient, comprehensive examination; and medical decision of other physicians, other qualified health care profess and the patient's and/or family's needs. Usually, the minutes are spent face-to-face with the patient and,
99385	Preventative Office Visit - Comprehensive Initial 18-39 years	Initial comprehensive preventive medicine evaluati appropriate history, examination, counseling/antici laboratory/diagnostic procedures, new patient; 18-
99386	Preventative Office Visit - Comprehensive Initial 40-64 years	Initial comprehensive preventive medicine evaluati appropriate history, examination, counseling/antici laboratory/diagnostic procedures, new patient; 40-
99395	Preventative Office Visit - Reevaluation 18-39 years	Periodic comprehensive preventive medicine reeva appropriate history, examination, counseling/antici laboratory/diagnostic procedures, established patie
99396	Preventative Office Visit - Reevaluation 40-64 years	Periodic comprehensive preventive medicine reeva appropriate history, examination, counseling/antici laboratory/diagnostic procedures, established patie
99397	Preventative Office Visit - Reevaluation 65+ years	Periodic comprehensive preventive medicine reeva appropriate history, examination, counseling/antici laboratory/diagnostic procedures, established patie
99401	Preventative Medicine Counseling 15 minutes - Obesity or other	Preventive medicine counseling and/or risk factor r approximately 15 minutes
99401	Preventative Medicine Counseling 15 minutes - STI Behavioral	Preventive medicine counseling and/or risk factor r approximately 15 minutes
99402	Preventative Medicine Counseling 30 minutes - Obesity or other	Preventive medicine counseling and/or risk factor r approximately 30 minutes
99402	Preventative Medicine Counseling 30 minutes - STI Behavioral	Preventive medicine counseling and/or risk factor r approximately 30 minutes
99403	Preventative Medicine Counseling 45 minutes - Obesity or other	Preventive medicine counseling and/or risk factor r approximately 45 minutes
99403	Preventative Medicine Counseling 45 minutes - STI Behavioral	Preventive medicine counseling and/or risk factor r approximately 45 minutes
99404	Preventative Medicine Counseling 60 minutes - Obesity or other	Preventive medicine counseling and/or risk factor r approximately 60 minutes
99404	Preventative Medicine Counseling 60 minutes - STI Behavioral	Preventive medicine counseling and/or risk factor r approximately 60 minutes
99406	Tobacco Use Counseling and intervention 3-10 minutes	Smoking and tobacco use cessation counseling visit
99407	Tobacco Use Counseling and intervention greater than 10 minutes	Smoking and tobacco use cessation counseling visit,
99408	Alcohol Misuse: Screening and Behavioral Counseling for Adults 15 - 30 minutes	Alcohol and/or substance (other than tobacco) abus services; 15 to 30 minutes
	Alcohol Misuse: Screening and Behavioral Counseling for Adults > 30 minutes	Alcohol and/or substance (other than tobacco) abus services; greater than 30 minutes
	Colonoscopy - Colorectal Cancer	Colorectal cancer screening; flexible sigmoidoscopy
	Colonoscopy - Colorectal Cancer	Colorectal cancer screening; colonoscopy on individ
	Colonoscopy - Colorectal Cancer	Colorectal cancer screening; alternative to G0104, s
	Colonoscopy - Colorectal Cancer	Colorectal cancer screening; alternative to G0105, s
	Colonoscopy - Colorectal Cancer	Colorectal cancer screening; colonoscopy on individ
	Barium Enema Colorectal Cancer	Colorectal cancer screening; barium enema
60297	Low dose CT scan (LDCT) for lung cancer screening	Low-dose computed tomography for lung cancer sc

nt, which requires these 3 key components: a comprehensive history; a n making of moderate complexity. Counseling and/or coordination of care professionals, or agencies are provided consistent with the nature of the ds. Usually, the presenting problem(s) are of moderate to high severity. the patient and/or family.

nt, which requires these 3 key components: a comprehensive history; a n making of high complexity. Counseling and/or coordination of care with essionals, or agencies are provided consistent with the nature of problem(s) he presenting problem(s) are of moderate to high severity. Typically, 80 d/or family.

ntion and management of an individual including an age and gender icipatory guidance/risk factor reduction interventions, and the ordering of 8-39 years

ntion and management of an individual including an age and gender icipatory guidance/risk factor reduction interventions, and the ordering of 0-64 years

valuation and management of an individual including an age and gender icipatory guidance/risk factor reduction interventions, and the ordering of tient; 18-39 years

valuation and management of an individual including an age and gender icipatory guidance/risk factor reduction interventions, and the ordering of tient; 40-64 years

valuation and management of an individual including an age and gender icipatory guidance/risk factor reduction interventions, and the ordering of tient; 65 years and older.

reduction intervention(s) provided to an individual (separate procedure);

it; intermediate, greater than 3 minutes up to 10 minutes

it; intensive, greater than 10 minutes

use structured screening (e.g., AUDIT, DAST), and brief intervention (SBI)

use structured screening (e.g., AUDIT, DAST), and brief intervention (SBI)

y

ridual at high risk

screening sigmoidoscopy, barium enema screening colonoscopy, barium enema

idual not meeting criteria for high risk

creening

CPT Code	Procedure	CPT,
	Fecal occult blood test immunoassay - colorectal cancer screening	Colorectal cancer screening; fecal occult blood test,
	Alcohol Misuse: Screening and Behavioral Counseling for Adults	Annual alcohol misuse screening, 15 minutes
	Alcohol Misuse: Screening and Behavioral Counseling for Adults	Brief face-to-face behavioral counseling for alcohol
	Depression Screening	Annual depression screening, 15 minutes
		High intensity behavioral counseling to prevent sexu
G0445	Sexually Transmitted Infections: Behavioral Counseling	annually, 30 minutes
G0446	Healthy Diet Counseling	Intensive behavioral therapy to reduce cardiovascul
	Obesity Counseling	Face-to-face behavioral counseling for obesity, 15 m
	Hepatitis C Virus Screening	Hepatitis C antibody screening for individual at high
	Obesity Counseling	Face-to-face behavioral counseling for obesity, grou
Q2035	Immunizations Adult Influenza	Influenza virus vaccine, split virus, when administer
Q2036	Immunizations Adult Influenza	Influenza virus vaccine, split virus, when administer (FLULAVAL)
Q2037	Immunizations Adult Influenza	Influenza virus vaccine, split virus, when administer (FLUVIRIN)
Q2038	Immunizations Adult Influenza	Influenza virus vaccine, split virus, when administer
Q2039	Immunizations Adult Influenza	Influenza virus vaccine, split virus, when administer otherwise specified)
	CT - electron beam for lung cancer screening	Electron beam computed tomography (also known a
	Tobacco Use Counseling and intervention - smoking cessation classes	Smoking cessation classes, non-physician provider,
	Physical Therapy - Rehabilitation Services	Single modality to one area – initial 30 minutes
	Physical Therapy - Rehabilitation Services	Single modality to one area – each additional 15 mir
	Physical Therapy - Rehabilitation Services	Single procedure to one area – initial 30 minutes
	Physical Therapy - Rehabilitation Services	Single procedure to one area – each additional 15 m
	Physical Therapy - Rehabilitation Services	Treatment including a combination of any modalitie
	Physical Therapy - Rehabilitation Services	Treatment including a combination of any modalitie
	Physical Therapy - Rehabilitation Services	Hubbard Tank – initial 30 minutes
	Physical Therapy - Rehabilitation Services	Hubbard Tank – each additional 15 minutes
	Physical Therapy - Rehabilitation Services	Hubbard Tank or pool therapy with therapeutic exe
	Physical Therapy - Rehabilitation Services	Hubbard Tank or pool therapy with therapeutic exe
	Physical Therapy - Rehabilitation Services	Any of the tests and measurements – initial 30 minu
	Physical Therapy - Rehabilitation Services	Any of the tests and measurements – each additiona
X3924	Physical Therapy - Rehabilitation Services	Physical Therapy Preliminary Evaluation rehabilitat
80048	METABOLIC PANEL TOTAL CA	Basic metabolic panel (Calcium, total) This panel mu (bicarbonate) (82374) Chloride (82435) Creatinine nitrogen (BUN) (84520
80051	ELECTROLYTE PANEL	Electrolyte panel This panel must include the follow (84132) Sodium (84295
80053	COMPREHEN METABOLIC PANEL	Comprehensive metabolic panel This panel must ind (82310) Carbon dioxide (bicarbonate) (82374) Chlo (84075) Potassium (84132) Protein, total (84155) S Transferase, aspartate amino (AST) (SGOT) (84450)
80069	RENAL FUNCTION PANEL	Renal function panel This panel must include the fol (bicarbonate) (82374) Chloride (82435) Creatinine Potassium (84132) Sodium (84295) Urea nitrogen (
80074	ACUTE HEPATITIS PANEL	Acute hepatitis panel This panel must include the fo core antibody (HBcAb), IgM antibody (86705) Hepa
80076	HEPATIC FUNCTION PANEL	Hepatic function panel This panel must include the f (82248) Phosphatase, alkaline (84075) Protein, tota aspartate amino (AST) (SGOT) (84450)
81000	URINALYSIS NONAUTO W/SCOPE	Urinalysis, by dip stick or tablet reagent for bilirubingravity, urobilinogen, any number of these constitue

, immunoassay, 1-3 simultaneous determinations

l misuse, 15 minutes

exually transmitted infection; face-to-face, individual, performed semi-

ular disease risk, individual, face-to-face, annual, 15 minutes

minutes

gh risk and other covered indication(s)

oup (2-10), 30 minutes

ered to individuals 3 years of age and older, for intramuscular use (AFLURIA)

tered to individuals 3 years of age and older, for intramuscular use

ered to individuals 3 years of age and older, for intramuscular use

tered to individuals 3 years of age and older, for intramuscular use (Fluzone)

ered to individuals 3 years of age and older, for intramuscular use (not

n as Ultrafast CT, Cine CT)

r, per session

inutes

minutes

ies and procedures (one or more areas) – initial 30 minutes ies and procedures (one or more areas) – each additional 15 minutes

ercise – initial 30 minutes

ercise – each additional 15 minutes

nutes, plus report

nal 15 minutes, plus report

ation center, SNF, ICF

nust include the following: Calcium, total (82310) Carbon dioxide le (82565) Glucose (82947) Potassium (84132) Sodium (84295) Urea

wing: Carbon dioxide (bicarbonate) (82374) Chloride (82435) Potassium

nclude the following: Albumin (82040) Bilirubin, total (82247) Calcium, total nloride (82435) Creatinine (82565) Glucose (82947) Phosphatase, alkaline) Sodium (84295) Transferase, alanine amino (ALT) (SGPT) (84460) 60) Urea nitrogen (BUN) (84520)

following: Albumin (82040) Calcium, total (82310) Carbon dioxide ne (82565) Glucose (82947) Phosphorus inorganic (phosphate) (84100) n (BUN) (84520)

following: Hepatitis A antibody (HAAb), IgM antibody (86709) Hepatitis B patitis B surface antigen (HBsAg) (87340) Hepatitis C antibody (86803)

e following: Albumin (82040) Bilirubin, total (82247) Bilirubin, direct otal (84155) Transferase, alanine amino (ALT) (SGPT) (84460) Transferase,

oin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific uents; non-automated, with microscopy

СРТ	Procedure	CPT Code
sis, by dip stick or tablet reagent for bilirub		
urobilinogen, any number of these constitu	grav	,1001
sis, by dip stick or tablet reagent for bilirub		31002
urobilinogen, any number of these constitu	grav	
sis, by dip stick or tablet reagent for bilirub		31003
urobilinogen, any number of these constitu	grav	
sis; qualitative or semiquantitative, except		
sis; microscopic only regnancy test, by visual color comparison r		
; serum, plasma or whole blood		
	RUM AMYLASE Amy	
n; total	5	32247
n; direct		32248
D; 25 hydroxy, includes fraction(s), if perf		
; total		
; ionized		
balamin (Vitamin B-12);		
balamin (Vitamin B-12); unsaturated bind	-	
D; 1, 25 dihydroxy, includes fraction(s), if		32652
	RRITIN Ferr	32728
d; serum	LIC ACID SERUM Folio	32746
; post glucose dose (includes glucose)	ST Gluc	32950
; tolerance test (GTT), 3 specimens (includ	LERANCE TEST (GTT) Gluc	32951
, blood by glucose monitoring device(s) cle	OOD TEST Gluc	32962
acter pylori; breath test analysis for urease	13) BREATH Heli	3013
		33540
ding capacity		
		3655
	1	33690
	AGNESIUM Mag	
phrines		
etic peptide		
ity; blood		
ity; urine		
rmone (parathyroid hormone)		
y fluid, not otherwise specified		
atase, alkaline;		
orus inorganic (phosphate); ım; serum, plasma or whole blood		
-	EALBUMIN Prea	
e specific antigen (PSA); complexed (direct		
e specific antigen (PSA); total		
e specific antigen (PSA); free		
total, except by refractometry; serum, plas		
total, except by refractometry; urine		
al phosphate (Vitamin B-6)		
serum, plasma or whole bloo		
erone; total		
ne (Vitamin B-1)		
obulin		
ne; total	5	
ne; free		
stimulating hormone (TSH)	5	
erol alpha (Vitamin E)		34446

T/HCPCS Code Description
bin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific
tuents; automated, with microscopy bin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific
tuents; non-automated, without microscopy
bin, glucose, hemoglobin, ketones, leukocytes, nitrite, pH, protein, specific tuents; automated, without microscopy
t immunoassays
methods
formed
ding capacity
f performed
des glucose)
eared by the FDA specifically for home use
e activity, non-radioactive isotope (eg, C-13)
rt measurement)
asma or whole blood
ormone binding ratio (THBR)

CPT	Procedure	СРТ
Code	Αςς Αν ός τρορονιν ομαντ	
	ASSAY OF TROPONIN QUANT ASSAY OF UREA NITROGEN	Troponin, quantitative Urea nitrogen; quantitative
	ASSAY OF VITAMIN A	Vitamin A
	ASSAY OF ZINC	Zinc
	BLEEDING TIME TEST	Bleeding time
	BLEDDING THEFT TEST	Blood count; blood smear, microscopic examination
	HEMATOCRIT	Blood count; hematocrit (Hct)
	HEMOGLOBIN, COLORIMETRIC	Blood count; hemoglobin (Hgb)
	COMPLETE CBC W/AUTO DIFF WBC	Blood count; complete (CBC), automated (Hgb, Hct,
	COMPLETE CBC AUTOMATED	Blood count; complete (CBC), automated (Hgb, Hct,
	RED BLOOD CELL (RBC) COUNT	Blood count; red blood cell (RBC), automated
	RETICULOCYTE COUNT	Blood count; reticulocyte, manual
	RETICUTOCYTE COUNT	Blood count; reticulocyte, automated
	AUTOMATED PLATELET COUNT	Blood count; platelet, automated
	BLOOD SMEAR INTERPRETATION	Blood smear, peripheral, interpretation by physicia
85610	PROTHROMBIN TIME	Prothrombin time;
85651	RBC SED RATE NONAUTOMATED	Sedimentation rate, erythrocyte; non-automated
85652	RBC SED RATE AUTOMATED	Sedimentation rate, erythrocyte; automated
85730	THROMBOPLASTIN TIME PARTIAL	Thromboplastin time, partial (PTT); plasma or who
86140	C-REACTIVE PROTEIN	C-reactive protein;
86580	TB INTRADERMAL TEST	Skin test; tuberculosis, intradermal
86644	ANTIBODY, CMV	Antibody; cytomegalovirus (CMV)
86645	CMV ANTIBODY IGM	Antibody; cytomegalovirus (CMV), IgM
86677	HELICOBACTER PYLORI	Antibody; Helicobacter pylori
86695	HERPES SIMPLEX TYPE 1 TEST	Antibody; herpes simplex, type 1
86696	HERPES SIMPLEX TYPE 2 TEST	Antibody; herpes simplex, type 2
86705	HEP B CORE ANTIBODY IGM	Hepatitis B core antibody (HBcAb); IgM antibody
	HEPATITIS A TOTAL ANTIBODY	Hepatitis A antibody (HAAb)
86709	HEPATITIS A IGM ANTIBODY	Hepatitis A antibody (HAAb), IgM antibody
	INFLUENZA VIRUS ANTIBODY	Antibody; influenza virus
	RUBELLA ANTIBODY	Antibody; rubella
	RUBEOLA ANTIBODY	Antibody; rubeola
	TREPONEMA PALLIDUM	Antibody; Treponema pallidum
	VARICELLA-ZOSTER ANTIBODY	Antibody; varicella-zoster
	VIRUS ANTIBODY NOS	Antibody; virus, not elsewhere specified
	COOMBS TEST DIRECT	Antihuman globulin test (Coombs test); direct, each
	BLOOD TYPING SEROLOGIC ABO	Blood typing, serologic; ABO
	BLOOD TYPING SEROLOGIC RH(D)	Blood typing, serologic; Rh (D)
86902	BLOOD TYPE ANTIGEN DONOR EA	Blood typing, serologic; antigen testing of donor blo
87040	BLOOD CULTURE FOR BACTERIA	Culture, bacterial; blood, aerobic, with isolation and appropriate)
87045	FECES CULTURE AEROBIC BACT	Culture, bacterial; stool, aerobic, with isolation and
87046	STOOL CULTR AEROBIC BACT EA	Culture, bacterial; stool, aerobic, additional pathoge
87070	CULTURE OTHR SPECIMN AEROBIC	Culture, bacterial; any other source except urine, bluisolates
87075	CULTR BACTERIA EXCEPT BLOOD	Culture, bacterial; any source, except blood, anaero
	CULTURE ANAEROBE IDENT EACH	Culture, bacterial; anaerobic isolate, additional met
	CULTURE AEROBIC IDENTIFY	Culture, bacterial; aerobic isolate, additional metho
	CULTURE SCREEN ONLY	Culture, presumptive, pathogenic organisms, screer
	URINE CULTURE/COLONY COUNT	Culture, bacterial; quantitative colony count, urine
	URINE BACTERIA CULTURE	Culture, bacterial; with isolation and presumptive id
	FUNGI IDENTIFICATION YEAST	Culture, fungi, definitive identification, each organis
	SMEAR GRAM STAIN	Smear, primary source with interpretation; Gram or
87205	SMEAR GRAM STAIN	Sillear, primary source with interpretation. Grain O

/HCPCS Code Description				
n with manual differential WBC count				
, RBC, WBC and platelet count) and automated differential WBC count				
, RBC, WBC and platelet count)				
in with written report				
ole blood				
n antiserum				
ood using reagent serum, each antigen test				
d presumptive identification of isolates (includes anaerobic culture, if				
preliminary examination (eg, KIA, LIA), Salmonella and Shigella species				
ens, isolation and presumptive identification of isolates, each plate				
lood or stool, aerobic, with isolation and presumptive identification of				
bic with isolation and presumptive identification of isolates				
hods required for definitive identification, each isolate				
ods required for definitive identification, each isolate				
ning only;				
dentification of each isolate, urine				
sm; yeast				
r Giemsa stain for bacteria, fungi, or cell types				
escent technique; influenza B virus				

CPT Code	Procedure	CPT/
87276	INFLUENZA A AG IF	Infectious agent antigen detection by immunofluore
87389	HIV-1 AG W/HIV-1 & HIV-2 AB	Infectious agent antigen detection by immunoassay assay [ELISA], immunochemiluminometric assay [IM antigen(s), with HIV-1 and HIV-2 antibodies, single i
87400	INFLUENZA A/B AG IA	Infectious agent antigen detection by immunoassay assay [ELISA], immunochemiluminometric assay [IM B, each
87430	STREP A AG IA	Infectious agent antigen detection by immunoassay assay [ELISA], immunochemiluminometric assay [IM group A
87510	GARDNER VAG DNA DIR PROBE	Infectious agent detection by nucleic acid (DNA or R
	GARDNER VAG DNA QUANT	Infectious agent detection by nucleic acid (DNA or R
	HEPATITIS B DNA AMP PROBE	Infectious agent detection by nucleic acid (DNA or R
87517	HEPATITIS B DNA QUANT	Infectious agent detection by nucleic acid (DNA or R
87521	HEPATITIS C PROBE&RVRS TRNSC	Infectious agent detection by nucleic acid (DNA or R when performed
87522	HEPATITIS C RNA QUANT	Infectious agent detection by nucleic acid (DNA or R performed
87529	HSV DNA AMP PROBE	Infectious agent detection by nucleic acid (DNA or R
87535	HIV-1 PROBE&REVERSE TRNSCRPJ	Infectious agent detection by nucleic acid (DNA or R performed
87624	HPV HIGH-RISK TYPES	Infectious agent detection by nucleic acid (DNA or R 39, 45, 51, 52, 56, 58, 59, 68)
87635	Infectious agent detection by nucleic acid (DNA or RNA)	Infectious agent detection by nucleic acid (DNA or R (Coronavirus disease [COVID-19]), amplified probe
87660	TRICHOMONAS VAGIN DIR PROBE	Infectious agent detection by nucleic acid (DNA or R
87661	TRICHOMONAS VAGINALIS AMPLIF	Infectious agent detection by nucleic acid (DNA or R
U0001	CDC 2019 Novel Coronavirus (2019-nCoV) Real-Time RT-PCR Diagnostic Panel	The 2019-Novel Coronavirus (2019-nCoV or COVID- test intended for presumptive qualitative detection specimens (e.g., naso- or oropharyngeal swabs, sput Control and Prevention (CDC) testing criteria.
U0002	2019-nCoV Coronavirus, SARS-CoV-2/2019-nCoV (COVID-19), any technique, multiple types or subtypes (includes all targets), non-CDC	The 2019-Novel Coronavirus (2019-nCoV or COVID- test intended for presumptive qualitative detection of specimens (e.g., naso- or oropharyngeal swabs, sput Control and Prevention (CDC) testing criteria.

rescent technique; influenza A virus

y technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent [MCA]) qualitative or semiquantitative, multiple-step method; HIV-1 e result

y technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent IMCA]) qualitative or semiquantitative, multiple-step method; Influenza, A or

y technique, (eg, enzyme immunoassay [EIA], enzyme-linked immunosorbent IMCA]) qualitative or semiquantitative, multiple-step method; Streptococcus,

RNA); Gardnerella vaginalis, direct probe technique

RNA); Gardnerella vaginalis, quantification

RNA); hepatitis B virus, amplified probe technique

RNA); hepatitis B virus, quantification

RNA); hepatitis C, amplified probe technique, includes reverse transcription

RNA); hepatitis C, quantification, includes reverse transcription when

RNA); Herpes simplex virus, amplified probe technique RNA); HIV-1, amplified probe technique, includes reverse transcription when

RNA); Human Papillomavirus (HPV), high-risk types (eg, 16, 18, 31, 33, 35,

RNA); severe acute respiratory syndrome coronavirus 2 (SARS-CoV-2) e technique

RNA); Trichomonas vaginalis, direct probe technique

RNA); Trichomonas vaginalis, amplified probe technique

D-19 Real-Time RT-PCR Diagnostic Panel is a molecular in vitro diagnostic n of nucleic acid from COVID-19 in both upper and lower respiratory tract utum, aspirates, etc.) collected from patients that meet Centers for Disease

D-19) Real-Time RT-PCR Diagnostic Panel is a molecular in vitro diagnostic n of nucleic acid from COVID-19 in both upper and lower respiratory tract utum, aspirates, etc.) collected from patients that meet Centers for Disease

Please note, a PDF version of the Connect to Care Pre-Approved Codes list is available at: <u>http://connecttocare.amm.cc/Home/Providers</u>

Please refer to the prescription formulary located at:

www.myconnecttocare.org



Created by

Advanced Medical Management, Inc. CMSP's Third Party Administrator

